

Regulator

IF-O

Inflator Octopus

IST's newest released high-performance second stage regulator combined with power inflator. IF-O is set in front of you, unlike a traditional octopus, and can be reached at any time when emergency.

- Coupled with our high-spec, large bore intermediate pressure hose. Max. service pressure @ 34.5bar (500psi).
- Ultra soft front cover allows you to reach the purge button easily.
- Cracking pressure setting @ 1.4-1.6 inch of water.
- Max. service intermediate pressure @ 10bar (145psi).
- Designed to fit 3/4" rubber inflator corrugated hose.



IFO-38A Adaptor

Adaptor for IST IF-O inflator octopus with 1" corrugate hose.



SN-36 Freediving Silicone Snorkel

Simple silicone snorkel which can be bent and stored in pocket when not in used.





W







SK-9

3mm Freediving boat socks

- 3mm ultra high-grade neoprene lined with smooth skin outside.
- Design to be worn with freediving fins to make you to fit the foot pocket more to reduce unnecessary effort to be put in kicking.
- Blind-stitching technology sealed with rubber glue to block the water outside.
- Boat socks design to make your legs look longer with elegance lines.
- Anti-slip dots at soles.



| Sizes | XS | S | М | L | XL |
|-------|-------|-------|-------|-------|----|
| US | 4-6 | 6-8 | 8-10 | 10-12 | 13 |
| EUR | 34-38 | 38-41 | 41-44 | 44-47 | 48 |
| СМ | 22-24 | 24-26 | 26-28 | 28-30 | 31 |

Towel Fabric (Excellent comfort & keeps warm)



Open cell (Prevent the sock from falling off)





WS-36 2mm Female Freediving Springsuits

- Made from the highest-grade neoprene with Neoskin lined outside.
- YKK#10 front zip for easy donning and doffing.
- Flat-lock stitching technology.
- Colors: SV , BK/R
- Size: #3 #9

| Female | Size | #3 | #5 | #7 | #9 |
|--------|--------|-------------|-------------|-------------|-------------|
| Chest | Inches | 29.1 - 31.1 | 31.5 - 33.5 | 32.7 - 34.6 | 34.3 - 36.2 |
| | СМ | 74 - 79 | 80 - 85 | 83 - 88 | 87 - 92 |
| Waist | Inches | 22 - 24 | 24 - 26 | 25.2 - 27.2 | 26.8 - 28.7 |
| | СМ | 56 - 61 | 61 - 66 | 64 - 69 | 68 - 73 |
| Hip | Inches | 32.3 - 33.9 | 34.3 - 36.2 | 36.6 - 38.6 | 38.2 - 40.2 |
| | CM | 82 - 86 | 87 - 92 | 93 - 98 | 97 - 102 |

FRA-01/C Fathom Blue Carbon Fin

Incorporarting all the features of Fathom Blue, its directional carbon blade ensures the unheard-of thrust that only composite fibers can deliver. Its interchangeable blade is very reactive, and purpose-built for advanced free diving and spearfishing. Carbon design provides maximum propulsion through the leg-kick, and optimum return of the blade.





The fin can be taken apart should the need to change blade arises.

The blade gives maximum propulsion and best efficiency.



| Size Chart | Fin Sizes | | XXS / XS | XS/S | S/M | M/L | L/XL |
|-----------------|-----------|------|----------|-------|-------|-------|-------|
| Barefoot | US | | 4 - 5 | 6 - 7 | 8-9 | 10-11 | 12-13 |
| | EURO | | 36-38 | 38-40 | 41-42 | 43-44 | 45-46 |
| Worn with socks | 3mm | US | | 5 | 7 | 9 | 11 |
| | | EURO | | 38 | 40 | 42 | 44 |
| | 5mm | US | | 4 | 6 | 8 | 10 |
| | | EURO | | 37 | 39 | 41 | 43 |
| | 7mm | US | | | 5 | 7 | 9 |
| | | EURO | | | 38 | 40 | 42 |

FD-BUOY Freediving Buoy

- 15" inner diameter Freediving Buoy made from heavy duty 600D PU coated polyester fabric for outer shell; ultra high-grade rubber for inner tire.
- 6 handles located around the buoy allows several divers to use at the same time.
- 2 stainless steel D-ring at sides of the buoy for connecting with other buoys if necessary.
- 2 YKK #10 zips at front cover for easy operation and also prevent stuffs from falling out.
- 4 stainless steel grommets at bottom to drain water.
- 2 stainless steel D-rings are fixed at bottom with extra durable 2" polyester webbing for divers to connect weight and rope; max, dry weight loading 300KG (660lb).
- Comes with a tire inflation adapter can be connected to a BC hose





2 shoulder straps designed for easier carrying



Comfortable hand grip



D-ring for rope storge





FD-R/50M Freediving Static Rope in 50 Meters (164 ft)

- 10mm in rope diameter / 50 meters (164 ft) in total length.
- Static elongation of the rope <5%
- Neon color designed for better visibility underwater.
- The rope holds up to 1800Kgs (3,968lbs)



FD-IT/15 Inner Tire

- High quality natural rubber compounded with special formula makes the tire more durable than other rubber products.
- Comes with US standard TR-15 valve, can be inflated with bicycle inflator or IST N-8.
- Dimension: Inner Diameter: 390mm (15.35") Otter Diameter: 750mm (29.53")





N-8 Tire Inflator

- Copper chrome plating covered by aluminum alloy.
- QD connector design for BC hose.
- With this inflator, FD-IT/15 inner tire can be fully inflated in 15 seconds.



BG-06

Freediving Equipment Bag

Designed to carry freediving fins and wetsuits. Ultra light-weight and durability.

- Made with heavy duty 600D PU coated polyester fabric.
- Foldable design to minimize the space and for easier storage.
- Can be hanged with wetsuit hanger along with the suit and the bag itself.
- More space for equipment storage.





Can be carried as shoulder bag



Dress up place



Hanging wetsuit function



Equipment storage