

IST PROLINE

2027-2028

HISTORY OF IST SPORTS

FOUNDED 1976

Company founded in Taiwan. Siblings Irene, Stanley and Tony join together to form IST Sports. Named after their combined initials symbolized a community effort work together toward a better future. When IST was first established, their primary products were windsurfing boards. As a pioneer in the market, they produced great quality at more affordable prices. Earning high praise from their new customer base.

1987

IST Proline and the iconic IST dolphin logo were both established in this year. IST continued to broaden their production of diving equipment. In the same year, the California branch was set up, marking their entrance into the United States diving market.

1988

Design and sale our first recreational SCUBA diving regulator set and BCD in the United States market.

1989

Release our first commercial diving equipment for cold-water. Same year, release our first rubber material fin for SCUBA Diver.

1991

Start up SCUBA diving wetsuit manufacturing factory in China.

1992

Partnership with Sea&Sea company open IST United Kingdom branch in England. Same year, produce unique sneaker-sole diving boot to the market.

1996

Design our first digital SCUBA diving computer in Finland.

1997-1999

Design and manufacture our first SCUBA diving dry suit in United Kingdom. Co-invented with local brand to design underwater Sonic Seeker in Australia.

2000

Collaborate with Nature's Wing company introducing our Talaria Fin (F-2) and Pegasus Fin (F10) to the market. Design and patented Pro-Ear diving mask.

2005

We introduce camouflage patterns tailored for the spearfishing market. Also, designed an aluminum-framed mask for the SCUBA diving market.

2008

Open up Dolphin Tech brand for designing technical diving equipment.

2012

Dolphin Tech brand start up designing commercial diving product.
Start up developing freediving equipment for the market.

2015

Introduce technical diving side-mount BCD under Dolphin Tech Brand.

2020

Strat of Dive-clean Project reducing plastic packaging mission. Focus on developing more Freediving equipment to the market.

2021

Introduce the PURIGUARD series of antibacterial products to the market.

2022

Focus on developing watersports gear and beach wear.

2024

Now we are selling in more than 125 countries worldwide.

2026

Launch our newly developed diving regulator.



TABLE OF CONTENT

HARD GEAR

BCD 3
REGULATORS 7
GAUGE & CHECKER 12
HOSE 14

SOFT GEAR

MASK 15
PROEAR MASK 27
SNORKEL 29
FIN 32
COMBO SET 35
SUNSCREEN/SWIMMING GEAR 37
SNORKELING VEST 38

NEOPRENE GEAR

PURIGUARD 39
RASH GUARD 47
GLOVES 49
SOCKS 50
BOOTS 50

YOUTH GEAR

MASK 53
SNORKEL 54
FIN 54
COMBO SET 55

ACCESSORIES

TORCHES 57
BAGS 58
KNIVES 62
REELS 64
BUOY 64
HARD GEAR ACCESSORIES 67
CONNECTOR & ADAPTER 68
TOOLS 69
WRITING SLATE 72
ARROWS 73
SIGNALING DEVICES 73
MOUTHPIECE 74
WEIGHT ACCESSORIES 75
DRIFT HOOK 77
CLIPS & LANYARD 78
HANGER 81
MASK ACCESSORIES 82
SNORKEL ACCESSORIES 84
FIN ACCESSORIES 85

TECHNICAL DIVING GEAR

TECHNICAL BCD COMPONENTS 86
TECH DIVING GEAR 88
TANK VALVES 96
COMMERCIAL DIVING 98

HUKA

HUKA 101

LOGO WEAR

LOGO WEAR 103
COAT 104
HAT 104

EXPLODED VIEWS

EXPLODED VIEWS 105

J-1600 ASTRA BUOYANCY CONTROL DEVICE NEW

ASTRA

Back-Inflation Buoyancy Compensator

The J-1600 ASTRA is a streamlined back-inflation BCD designed to give divers a clean, uncluttered front profile while keeping buoyancy concentrated behind the diver. Its adjustable harness, integrated weight system, rear trim-weight pockets, and practical accessory points combine comfort, balance, and everyday functionality in a versatile platform. With only two size ranges, S/M and L/XL, the ASTRA is designed to accommodate a broad range of body shapes while keeping fitting and inventory simple for both divers and dive operators.

- Back-inflation air-cell design helps keep the chest area open and reduces bulk around the front of the diver.
- Two integrated side weight pockets, each with a maximum capacity of 4 kg (8.8 lb), provide up to 8 kg (17.6 lb) of primary integrated weight capacity.
- One side incorporates a fold-away utility pocket for compact storage when not in use, while the opposite side includes a dedicated D-ring for securing an octopus.
- Two rear trim-weight pockets are positioned on the cylinder band; each pocket holds up to 1 kg (2.2 lb) to help fine-tune underwater trim and weight distribution.
- Adjustable, comfort-oriented shoulder straps allow the harness to be tailored to the diver and help the S/M and L/XL size ranges fit a wide variety of users.
- Multiple stainless-steel D-rings provide convenient attachment points for gauges, accessories, and other diving equipment.
- A secure waist and shoulder harness layout helps keep the BCD stable around the torso and cylinder during the dive.
- Cold-water compatible power inflator with an integrated pull-dump function for convenient buoyancy control and rapid gas release when required.
- Padded back and shoulder contact areas are shaped for comfort while maintaining a low-profile, functional harness configuration.
- The combination of integrated weights, rear trim pockets, and a back-inflation bladder makes the ASTRA suitable for divers looking for a balanced, streamlined BCD with practical storage and attachment options.
- **Bladder buoyancy: S/M 28.5 lbs (127N) ; L/XL 33.5 lbs (149N)**

CE APPROVED



J-1700 MERCURY BUOYANCY CONTROL DEVICE

Features include:

- Durable 420D TPU coated Nylon shell.
- Cold water capable power inflator (IF-1700/N) with pull dump.
- 2 additional rear quick dump valves.
- Adjustable sternum strap.
- 2 rear trim pockets take up to 1kg (2.2lb) of weight each.
- 2 integrated weight pockets (4kg each).
- Padded backpack.
- All new designed waterproof dump valves that prevent water from entering the bladder when deflate.
- Traditional jacket style BCD

CE APPROVED



Cold Water Capable
Power Inflator IF-1700/N



2 additional rear quick
dump valves



Waterproof
Dump Valve



Rear Weight
Pockets

Integrated
Weight Pockets

SIZES	Buoyancy	Chest(cm/inch)	Waist (cm/inch)
XS	120N(11.8kgf/26lbf)	66-91/26"-36"	64-81/25"-32"
S	140N(14.1kgf/31lbf)	76-102/30"-40"	74-91/29"-36"
M	170N(17.2kgf/38lbf)	87-112/34"-44"	84-102/33"-40"
L	220N(22.2kgf/49lbf)	97-122/38"-48"	94-112/37"-44"
XL	270N(27.2kgf/60lbf)	102-127/40"-50"	104-122/41"-48"

J800-1000D HOPE BUOYANCY CONTROL DEVICE

Features include:

- Simple yet traditional jacket style BCD
- Tough 1000D cordura.
- Cold water capable power inflator with pull dump.
- 2 additional rear quick air dump valve.
- Adjustable sternum strap.
- Strong and lightweight delrin D-rings.
- 2 roomy side pockets with Velcro closure
- Padded backpack.

CE APPROVED



Waterproof
Dump Valve



2 additional rear quick
dump valves





Cold Water Capable
Power Inflator IF-1700/N

SIZES	Buoyancy	Chest(cm/inch)	Waist (cm/inch)
XXS	70N(6.8kgf/15lbf)	66-91/26"-36"	64-81/25"-32"
XS	120N(11.8kgf/26blf)	66-91/26"-36"	64-81/25"-32"
S	140N(14.1kgf/31lbf)	76-102/30"-40"	74-91/29"-36"
M	170N(17.2kgf/38lbf)	87-112/34"-44"	84-102/33"-40"
L	220N(22.2kgf/49lbf)	97-122/38"-48"	94-112/37"-44"
XL	270N(27.2kgf/60lbf)	102-127/40"-50"	104-122/41"-48"

IF-O INFLATOR OCTOPUS



IST's high-performance second stage regulator combined with power inflator.
IF-O is set in front of you, unlike a traditional octopus, and can be reached at any time when emergency.

- Coupled with our high-spec, large bore intermediate pressure hose. Max. service pressure @34.5bar (500psi).
- Ultra soft front cover allows you to reach the purge button easily.
- Cracking pressure setting @1.4 - 1.6 inch of water.
- Max. service intermediate pressure @10bar (145psi).
- Designed to fit 3/4" rubber inflator corrugated hose.











IFO-38A ADAPTOR



Adapter for IST IF-O inflator octopus with 1" corrugated hose

R-2000 BALANCED DIAPHRAGM REGULATOR SET
R-2000-DIN BALANCED DIAPHRAGM REGULATOR SET

- Environmentally sealed first stage with balanced diaphragm design
- Pneumatically balanced second stage for effortless breathing at any depth
- 2 HP & 4 LP ports for multiple hose configurations
- Lightweight braided low-pressure hose for flexibility and comfort
- Heat sink connection assists cold-water performance
- Adjustable breathing control knob
- Chrome-plated components for corrosion resistance and long-term durability
- Nitrox compatible up to 40% out of the box
- **Intermediate pressure setting @ 9.5-10.0 bar (137-145psi)**
- **Second stage breathing resistance setting @ 1.1-1.3 inch of water**

CE APPROVED







R-200 DIAPHRAGM BALANCED FIRST STAGE
R-200-DIN DIAPHRAGM BALANCED FIRST STAGE

- Environmentally sealed diaphragm design prevents contamination and enhances longevity
- TPU end-cap protector safeguards the diaphragm from impact or abrasion
- 2 High Pressure (HP) and 4 Low Pressure (LP) ports for flexible hose routing
- Yoke version rated to 230 bar / DIN version rated to 300 bar
- Chrome-plated exterior finish for superior corrosion resistance
- **Nitrox compatible up to 40% out of the box**
- **Intermediate pressure setting @ 9.5-10.0 bar (137-145psi)**





O-300
PNEUMATICALLY BALANCED SECOND STAGE



- High-performance pneumatically balanced mechanism for consistent airflow
- Adjustable control knob allows customized breathing resistance
- Heat sink connection helps warm inhaled air for cold-water diving
- Comfortable silicone mouthpiece minimizes jaw fatigue
- Lightweight construction with surge deflection front cover and chrome trim
- The alternate second stage features a fluorescent yellow soft cover paired with a 36-inch yellow braided hose, making it highly visible and easy to identify underwater.
- Breathing resistance setting @ 1.1-1.3 inch of water

R-860 BALANCED DIAPHRAGM REGULATOR SET



This regulator from IST is not only feature-packed and capable of handling a high work load, it can also be used in both warm and cold water conditions.



R-860/N-5 BALANCED DIAPHRAGM ANTI-FREEZE REGULATOR SET WITH 5TH PORT





R-860/N-DIN/5 BALANCED DIAPHRAGM ANTI-FREEZE REGULATOR SET WITH 5TH PORT





R-8 BALANCED DIAPHRAGM 1ST STAGE



- The R-8 balanced diaphragm 1st stage has a high-flow, fast-acting valve system that is capable of delivering large amount of breathing gas in an instant, irrespective breathing demand, cylinder pressure or depth.
  It has not only passed the stringent CE test but the performance is comparable with the best available
- 4 intermediate pressure ports (located in the swivel turret) and 2 high pressure ports
- Inter. pressure setting @ 206 bar (3000psi): 3820L/min (135cuft/min)

R8/5-N R8/N-DIN/5 BALANCED DIAPHRAGM 1ST STAGE ANTI-FREEZE MODEL WITH 5TH PORT



- Extension design from IST R-8 balanced diaphragm 1st stage with an additional intermediate pressure port (5 ports in total)
- Available with YOKE(R8/5-N) or 300 bar DIN (R8/N-DIN/5).
- Only anti-freeze model.

O-60 BALANCED 2ND STAGE



BK



NY

- The O-60 second stage is equipped with a metal balancing tube and an adjustment knob.
  They are able to meet heavy breathing demand with ease and in extremely cold water they also act as heat sink to prevent icing.
- The volume of air leaving the valve can be fine-tuned by the adjustment knob on the side of the O-60 at any time so the diver can choose to breathe conservatively, or to open the valve up for more air in physical
  demanding situations.
- The pre-dive/ dive switch next to the adjustment knob prevents the valve from free-flowing while on the surface.
- The second stage comes with our high-spec, large bore intermediate pressure hose
  (max. service pressure @ 34.5 bar/ 500psi) which flows sufficient breathing air even when the demand is heavy.
- Cracking pressure setting @0.8 - 1.2 inch of water
- Flow rate @ 206 bar (3000psi): 30_ cuft/min
- Max service intermediate pressure @ 10 bar (145psi)

R-750 FLOW-THROUGH PISTON REGULATOR



- IST's R-750 was designed and developed with reliability as main priority. It is simple to use and easy to service. The proven technology used means with proper care and maintenance, it gives years of trouble-free diving.
- For use in waters warmer than 10 °C



R-7 FLOW-THROUGH PISTON 1ST STAGE



- Piston technology has been used in SCUBA for many years; this 1st stage can handle lots of abuse and is easy for technicians to service.
- Available with Yoke 200 bar.
- Inter. pressure setting @9.5-10.0 bar (137-145psi) Ventilation rate @ 206 bar (3000psi): 3110L/min (110 cuft/min.)
- 4 intermediate pressure ports and 1 high pressure port.

O-50 DOWN-STREAM 2ND STAGE

- Reliable and robust, the O-50 uses the time-proven, easy to service down-stream valve.
  Coupled with our high-spec, large bore intermediate pressure hose (max. service pressure @ 34.5 bar/ 500psi), it flows more than enough air even when breathing demand is high
- The light-action purge button is easy to access
- The pre-dive/ dive switch atop the second stage housing prevents free-flow while the diver is on the surface
- Cracking pressure setting @ 1.2 inch of water
- Flow rate @ 206 bar (3000psi): 30 cuft/ min
- Max service intermediate pressure @ 10 bar (145psi)



BK



NY

GP-900 PRESSURE GAUGE AND COMPASS CONSOLE NEW



The GP-900 combines an analog submersible pressure gauge and a navigation compass in one compact console. The two-instrument layout keeps essential air-pressure and directional information together in an easy-to-handle format, making it a practical choice for recreational and training applications.

- Compact two-instrument console combining a pressure gauge and compass.
- Pressure gauge features dual scales in both bar and psi for convenient reading worldwide.
- Large, easy-to-read dial with color-coded pressure indications.
- Integrated compass provides clear directional reference during navigation.
- Protective console boot helps shield the instruments from impact and abrasion.

CE APPROVED

GP-700 3-GAUGE CONSOLE
GP-800 DUAL GAUGE CONSOLE



- Integrated 60-meter / 200ft depth gauge and 400 bar / 5000 PSI pressure gauge with dual scale display
- The GP-700's integrated compass offers precise directional reading even at wide tilt angles, featuring a gunsight-style window for quick, accurate navigation and an adjustable ratchet bezel for easy underwater reference.• Features a maximum depth indicator for easy dive reference and safety tracking
- Features a maximum depth indicator for easy dive reference and safety tracking.

CE APPROVED

GP-35 HIGH-PRESSURE GAUGE



- Precision copper coil ensures stable and accurate performance.
- Equipped with a proven Bourdon-type mechanism, it ensures reliable accuracy under high pressure.
- Operating temperature range: -5°C to 45°C (23°F–113°F)
- Dual scale display: 400 bar / 5000 PSI for universal readability

CE APPROVED

GP-33 WRIST COMPASS





- Clear, easy-to-read dial with luminous markings for visibility in low-light conditions
- Gunsight-style top window enables fast and accurate bearing alignment
- Fully adjustable ratchet bezel for easy setting and reference underwater

CE APPROVED

GP-16/GP16-OX
PONY BOTTLE GAUGE

- Small and compact, measures 1.8cm (0.7") wide and weighs 40g (1.40oz)
- Glow in the dark gauge faces.
- Maximum pressure 350 bar (or 5000psi)
- GP16-OX for nitrox divers.



GP-16



GP16-OX

CT-1/N

- DIN tank pressure checker (300 bar, G 5/8)



CT-2/N

- Yoke tank pressure checker



CT-3

- Intermediate pressure checker (BC hose connector)



CT-6

- 2nd stage in-line adjustment tool with intermediate pressure gauge



LOW PRESSURE HOSE



QUICK CONNECT BC HOSE



RUBBER			
PART#	**DESCRIPTION**	**LENGTH**	**COLOR**
HP - 6IN	Stage Bottle High Pressure	15cm(6")	●
HP - 24in	SPG High Pressure	61cm(24")	●
HP		76cm(30")	●
LP - 22in/BC	Quick Connect Low Pressure	56cm(22")	●
LP - BC		69cm(27")	●
LP - 22in	Regulator Low Pressure	56cm(22")	● ●
LP - 1		69cm(27")	● ●
LP-OCTO		90cm(36")	● ●
LP - 40in		100cm(40")	● ●
LP - 5ft		152cm(5')	● ●
LP - 7ft		213cm(7')	● ●

BRAIDED LOW PRESSURE HOSE



BRAIDED QUICK CONNECT BC HOSE



BRAIDED			
PART#	**DESCRIPTION**	**LENGTH**	**COLOR**
LP - BC/MF	Quick Connect Low Pressure	69cm(27")	●
LP - 1/MF	Regulator Low Pressure	69cm(27")	●
LP - OCTO/MF		90cm(36")	●

Anti-Fog Lens

IST UNIQUE TECHNIQUE Anti-fog Film Lens

WITH IST UNIQUE TECHNIQUE ANTI-FOG FILM



NORMAL MASK LENS




Introducing IST's Multi-Layer Anti-Fog Nano Film Technology, a breakthrough in fog prevention for a clearer vision underwater. This innovative technology utilizes multiple layers of nano-thin films, engineered to adhere to surfaces, such as dive masks, ensuring long-lasting effectiveness. The specialized coating reduces the contact angle of water molecules, minimizing fog formation by impeding moisture adhesion. IST's advanced solution provides unparalleled clarity and visibility, enhancing the diving experience for enthusiasts worldwide.

Dive confidently with us, where crystal-clear views meet cutting-edge innovation!

IST MULTI-LAYER ANTI-FOG NANO FILM TECHNOLOGY

By employing IST Multi-layer Anti-fog NANO film technology, the coating adheres to the mirror surface, effectively enhancing the anti-fogging effect of the visor while being permanently attached to the lens. The surface of this thin film possesses low contact angle characteristics, aiming to reduce the angle at which water molecules come into contact with the lens. This prevents water vapor from easily adhering to the lens surface, thereby slowing down the formation of fog.



WHY DIVERS NEED ANTI-FOG TECHNIQUE FOR MASK?


An anti-fog lens mask is essential gear for divers, ensuring uninterrupted visibility and enhancing safety during underwater adventures. IST offers a unique solution with its advanced NANO technology processed over TAC-TriAcetate. Unlike traditional methods, IST's technique provides a two-sided anti-fog function, delivering ultra-high transparency and a permanent anti-fog solution. By choosing IST's innovative mask, divers prioritize clarity, safety, and reliability. With IST, divers can dive confidently, knowing their vision remains clear and unobstructed, even in challenging underwater conditions. Embrace the unparalleled clarity and durability of IST's anti-fog mask and unlock a world of limitless exploration underneath the waves.



MP-210 BSM/AF




MP-203 BSM/AF



START UP YOUR ANTI-FOG EXPERIENCE




Matte protect films on both lens.



Remove protect film before first time used.



The lens will be clear after the removal of the film.



Moisturizing both lens thoroughly before activity.



Should rinse your mask after each dive.

MP-214 THEIA NEW



BS/BK

- Low-volume twin-lens design for a close and streamlined fit.
- Tempered glass lenses for clear vision and durability.
- Premium liquid silicone skirt for exceptional comfort and a secure seal.
- Swivel buckle system for easy and flexible strap adjustment.
- Compact, modern profile suitable for scuba diving and snorkeling.




MP-201 PROTEUS
MP-201/AF



MB/BK NEW

- Comes with tinted lenses to enhance underwater colors
- Metal-Like painting technology for more colors of choice
- Super low volume design makes this mask become the best choice for free diving
- Anti-fog lens available.





BS




BSM-BK

MP-210 SONIC
MP-210/AF



- Extreme Low volume Frameless mask
- Made from hypoallergenic liquid silicone
- Prefect design for SCUBA and Free diving
- Anti-fog lens available.



MB NEW



BS



C



W

MP210/AF-BSM



- Yellow anti-fog film with mirror reflection
- Enhance better visual experience while diving deep in the ocean
- Resuable + Easy to clean + Long lasting anti-fog feature
- Great for SCUBA diver and Spearfishing





MP-203 HUNTER
MP-203/AF



MB

- Extremely low volume design.
- Swivel and easy-adjust buckles.
- Ideal for hunters and photographers.
- The highest grade silicone available for a soft comfortable seal.
- Perfect as a spearfishing, free diving or back-up mask as it folds and fits easily in your BCD pocket.
- Tempered glass for safety and durability.
- Non-polish finished mask skirt prevents from reflecting of sunlight.
- Anti-fog lens available.

Easy Adjust | Swivel Adjust | Low Volume | Anti-Fog Lens

Corrective Lens

OL203

- Optical lenses are available in -1.0 to -8.0 in -0.5 decrement.



C



W



BS

MP203/AF-BSM HUNTER



- Yellow anti-fog film with mirror reflection
- Enhance better visual experience while diving deep in the ocean
- Resuable + Easy to clean + Long lasting anti-fog feature
- Great for SCUBA diver and Spearfishing

Low Volume | Anti-Fog Lens | Tinted Lens

M-88 BLUETECH
M-88/AF



MB/BK NEW

- Anti-fog lens available.
- The bendable buckles are attached to the stretchy hypoallergenic silicone skirt so they will not interfere with fitting and this feature enables the mask to be packed into tight luggage space while preparing for a trip.

Easy Adjust | Swivel Adjust | Low Volume | Anti-Fog Lens



BS-06



BS/BK



W/MK



CB



W/NY

M-80 SEARCH
M-80/AF



06



CB

- Anti-fog lens available.
- Low in profile and internal volume, Search's swivel buckle can be adjusted to suit each diver's preferences.
- The mask is well suited to people with slightly narrower face.

OL80

- Optical lens are available in
  -1.0 to -8.0 in -0.5 decrement
  +1.0 to +4.0 in +0.5 increment
- Left / Right lenses are interchangeable.

Easy Adjust | Swivel Adjust | Low Volume | Anti-Fog Lens

M-55 CORONA
M-55/AF



BS/BK

- Corona has been one of the most popular IST masks and its superior fitting and comfort are the reasons behind the success.
- Its swivel buckle allows the diver to adjust the mask to the most desirable position. The low internal volume gives unrestricted view.
- Anti-fog lens available.





B BK NY


OL55

- Optical lenses are available in -1.0 to -8.0 in -0.5 decrement +1.0 to +4.0 in +0.5 increment
- Left / Right optical lenses are interchangeable.



OL55/S

- Optical lens stickers at the bottom of the lens for ME55 and M-55 masks. Available in diopter from +1.0 to +4.0 in 0.5 increment.
- Left / Right lenses are NOT interchangeable.



M-100 PANORAMA



G

- By using lightweight and robust 6000 series aluminum, this mask is possibly the strongest on the market today.
- The frame measures only 8.1mm (0.32") in thickness and the bridge area is merely 7.3mm (0.29") in width.





BK BS/BK BS/G

M-75 MARTINIQUE
M-75/AF



- Anti-fog lens available.
- The colorful Martinique has a twin-injection sub frame that gives this mask a modern appearance.
- The comfortable, high quality hypoallergenic silicone skirt fits a wide range of facial shapes with an assuring seal.

Easy Adjust | Swivel Adjust | Anti-Fog Lens

BS/HP NEW



BS/BK



CT



CB



HP



NY



W

M75-1 MARTINIQUE NARROW



Twin-injection sub-frame creates a distinctive, modern look.

- High-quality hypoallergenic silicone skirt for a soft and comfortable facial seal.
- Narrow-profile design for divers who prefer a more compact fit.
- Clear lens layout provides an open, unobstructed field of view.

Easy Adjust | Design for Woman

BS-HP NEW



BS-BK NEW



NY



CB

M-200 SYNTHESIS




R

- By combining CNC and plastic injection construction methods
- Uses the same **aluminum** as the Panorama to give the mask its stout base to support the twin-colored sub frame.

OL80

- Optical lenes are available in
  -1.0 to -8.0 in -0.5 decrement
  +1.0 to +4.0 in +0.5 increment
- Left/Right are interchangeable.





CB BS/CB BS/R

M-30 DRAGO





BS/BK



BK NY BS/GN

M-9 SATURN




BS/NY

- Optical lenses can be easily installed TOOL-FREE!

OL4

- Optical lenses are available in diopter from -1.0 to -8.0 in -0.5 decrement
- Left / Right lenses are NOT interchangeable.





BS/BK BS/B BS/GN

M14-BSM VEGA MASK WITH TINTED LENS



06

- Perfect for spear-fishing

Tinted Lens | Easy Adjust

MP-110 PI



MB

- Frameless mask made from hypoallergenic liquid silicone
- Easy adjusting mask buckles attached to the skirt.
- Fits a wide range of facial profiles with comfort.

Panoramic View | Easy Adjust | Swivel Adjust



C BS W

MP-111 SCOPE



BS/BK

- Single-lens mask with hypoallergenic silicone skirt

Panoramic View | Easy Adjust | Rental Gear



W B BS/B



NY BS/P

M-50 SHADOW



BS/BK

- Oversized lens design significantly increases field of vision horizontally and as well as vertically.
- The internal volume, however, is not increased noticeably as the lens is brought closer to the eyes as much as possible.





B NY

M-11 DYNASTY



CB

- Equipped with a protected nose purge which enables hand-free water clearance and equalization can be easily achieved even when wearing thick gloves.






BK BS NY

M-12 IMPERIAL



CB

- One of IST's most popular multi-window masks, the Imperial is popular with snorkelers and divers who needs hand-free water clearance and panorama-like view with good peripheral vision.





BS CGN NY

M-45 VENUS



CB



BS

- Oversized lens design significantly increases field of vision horizontally and as well as vertically.
- The internal volume, however, is not increased noticeably as the lens is brought closer to the eyes as much as possible.



M-27 TORTUGA

- Stainless steel frame mask
- Best for underwater photo shooting





BS



C

M2-R AQUILA

- Material: Rubber



M37 PEGASUS

- Material: Black silicone & rubber



PROEAR MASK

Difficulty in equalization or the potential ear infections are problems that can happen to any diver regardless of their experience. It can become serious enough to stop one from diving. Solution: The IST ProEar Mask is manufactured to the highest standard and only the best available materials are used. It is designed to counter most of the unavoidable effects of pressure or water has on ears so you can have a more enjoyable underwater time.

REACH Approved
EN 16805 Approved

Strap
Mounted on swivel buckles, the silicone strap with its large contact surface secures the mask to the wearer.

Skirt
Made from the best grade of crystal clear, hypoallergenic silicone, the skirt is soft and automatically conforms to a

Ear Covers
The soft silicone Ear Covers forms a water tight seal between the ear drum and the cover. The pressure buffer created to have the same pressure as your nasal cavity mask when air exhaled through the nose is introduced through the Equalization Tubes. Therefore the ear
pressure in the middle and outer area is the same and the “squeeze” from the ambient will be significantly reduced. Other benefits from keeping the ears sealed also include reducing the chance of an ear infection from water, plus improved sense of direction and warmth retention.



Optical Lenses(ME80)
OL80
- Optical lens are available in
  -1.0 to -8.0 in -0.5 decrement
  +1.0 to +4.0 in +0.5 increment (not available for tinted lens)


OL55
- Optical lenses are available in
  -1.0 to -8.0 in -0.5 decrement
  +1.0 to +4.0 in +0.5 increment (not available for tinted lens)
- Left / Right or tinted optical lenses are interchangeable.

OL55/S
- Optical lens stickers at the bottom of the lens for ME55 and M-55 masks. Available in diopter from +1.0 to +4.0 in 0.5 increment.
- Left / Right lenses are NOT interchangeable.

Equalization Tubes
With one-way valve placed inside each tube, air is allowed to travel only from the mask to the ear covers for pressure equalization and water clearance while stopping water from flooding the mask in the unlikely event of flooded Ear Covers.

How does the ProEar mask function?

The squeeze we feel during a dive is caused by the imbalance of pressure either side of the ear drum. While our ear canal is exposed to water and ambient pressure, our middle ear (which is on the other side of the ear drum and is connected to our nasal cavity by Eustachian tube) is still filled with air and experiences less pressure. The greater external force is able to push our ear drum inward, causing discomfort or pain. With ProEar mask, the ears are completely sealed off from the outside. To have the same pressure as your nasal cavity, it is able to be introduced through the Equalization Tubes into the Ear Covers. Therefore the pressure on both sides of the ear drum becomes equal. So as pressure and depth increase, the simple act of breathing air into your Ear Covers can significantly improve your enjoyment of diving!



Benefits of using IST ProEar mask

- Pressure equalization can be easier achieved!
- Prevents pressure induced ear ache (barotrauma)
- Enhanced underwater hearing and sense of direction.
- Stops dirty / polluted water from entering the ear causing infection.
- Increased warmth around the ear in cold water condition (a specially designed ProEar hood is available separately)

Available models

ME80-CB
ME80-CB/AF

Anti-Fog Lens



ME80-06
ME80-06/AF

Anti-Fog Lens



ME55-BS
ME55/AF

Anti-Fog Lens



ME59-CB


For junior



SN-204 DRY SNORKEL



- High grade silicone centerpiece and mouthpiece
- Swivel and QD snorkel holder
- Ergonomic design to the mouthpiece for easier bite



SN-104 SNORKEL WITH SPLASH GUARD & DRAIN VALVE



- Silicone mouthpiece and purge valve for easy water clearance
- Splash guard top to channel the incoming water away efficiently
- 360 degree swivel mouthpiece
- The main tube is made from the environmental friendly PU material



360 ° swivel mouthpiece

SNK-16



Double bend silicone snorkel with splash guard and clearance purge.

SN-60 SNORKEL WITH SPLASH GUARD & DRAIN VALVE



W

- Silicone mouthpiece and purge valve for easy water clearance
- Splash guard top to channel the incoming water away efficiently
- 18 different colors combinations provide various of choices



BK



CB



HP



NY



CO



CT



BS/HP



BS/MK



BS/BK



SN-7


BS/BK

- Silicone mouthpiece


BS-B


BS-NY

SN-36 FREEDIVING SILICONE SNORKEL

- Simple silicone snorkel which can be bent and stored in BCD pocket when not in use.


MB


W


GN


BS/BK

SN-301


BS/B NEW

- Non-purge snorkel with a stout snorkel holder.
- The silicone mouthpiece provides significant comfort which can decrease the level of jaw fatigue.


BS-NY NEW


BS


LG


BS/O

FP-01

SUMi

By utilizing various materials' stiffness and innovative structural arrangements, SUMi was designed to produce propulsion efficiency. The end result is a pair of fins which is not only easy to kick with, but excellent momentum is created to in the process to quickly propel the diver forward.

The fin's foot pocket fitting is the result of our extended research and manufacturing experience. This is an often neglected criterion when divers choose their fins. We are confident that SUMi will be one of the most comfortable fins that people put on.

SIZES	XS	S	M	L	XL
US	5-7	7-8	8-9	10-11	12-13
EURO	36-38	38-39	40-42	43-45	46-48



On top of the fin blade there are 6 water channeling guides to direct large amount of water backwards and the 22° blade-to-foot angle provides the best kicking efficiency.



W NEW



NY



B



BK



HP NEW

FP-02

Safari

IST Safari Ultra-Light fin brings the most comfort and convenience yet performs powerful thrust output.
One-piece design, made from a special compounded formula TPR material eliminates every possible break point caused by connecting two different materials
A softer stiffness is made for the size of XS/S of the fin for an easier access for female and youth divers
Only 1.9kg (4.2lb) for size L/XL, your best choice for traveling ever.

SIZES	XS/S	M/L	L/XL
US	5-7	8-10	11-13
EURO	36-39	40-43	45-48
Weight	1.7kg	1.8kg	1.9kg





F-1 RUBBER FINS



- Traditional rubber fin with proven design
- IST stainless steel spring fin strap compatible

SIZES	M	L	XL	XXL	3XL
US	5	6-7	8-9	10-11	12-13
EURO	36	37-39	40-42	43-45	46-48

F-20 SUPER S



NY

- Balanced blade and comfortable foot pocket
- Broad sizes range.

SIZES	XXS	XS	S	M	L	XL	XXL
US	1-3	3-5	5-7	7-9	9-11	11-13	13-15
EURO	34-36	36-38	38-40	40-42	42-44	44-46	46-48



B



BK

F-36 VELOX



B

- Balanced blade and comfortable foot pocket
- Open toe box for quick drainage
- **Sizes 3XS to M for Color of White**

SIZES	3XS	XXS	XS	S	M	L	XL
US	1-2	3-4	4-6	6-7	8-9	9-10	11-13
EURO	33-34	35-36	37-38	39-40	41-42	43-44	45-47



BK



NY



W

FK-30 SPEEDY



W

- Open heel snorkeling fins.
- Comfortable foot pocket.
- Recommended to be worn with boots or neoprene socks.
- The blades are vented to guide water more efficiently.

SIZES	S/M	L/XL
US	4.5-8.5	10-13
EURO	37-41	44-48



B



BK

FK-31 OTTER



B

- Broad sizes range design.
- Open toe box for quick drainage.
- Short, light, achieving efficient propulsion.

SIZES	S	M	L
US	4-7	7-10	10-13
EURO	35-40	40-44	44-48



W



BK

CS75608/A 2 PIECES COMBO SET



BS-HP NEW

M75 + SN60 + CS8 (mesh bag)



BS



NY



HP



CB



CT



W

CS111608/A 2 PIECES COMBO SET



B

MP-111 + SN-60 + CS8 (mesh bag)



NY



W



BS/HP

CF-02/A 4 PIECES COMBO SET



BS/BK

M-75 + SN-60 + FK31 + CS8-L (mesh bag)

SIZES	S, M, L



W



CB

CF-03/A 4 PIECES COMBO SET



B

MP-111 + SN-60 + FK31 + CS8-L (mesh bag)

SIZES	S, M, L



W



BS/HP

CS8 CS8-L COMBO SET MESH BAG



DIMENSION	20cm x 44cm (7.9" x 17.3")
DIMENSION	32cm x 55cm (12.5" x 21.6")

SS-01/30ML ANTI-JELLYFISH SUNSCREEN



IST research and develop the Mineral Sunscreen Lotion contains no artificial chemical ingredient. Contains Reef friendly formula without Octinoxate & Oxybenzone. The Anti-Jellyfish protection suits for all kinds of water sports activities.

The Anti-Jellyfish protection suits for all kinds of water sports activities.

- Mineral Sunscreen lotion in SPF50
- **Anti-Jellyfish formula**
- **Reef Friendly with natural ingredient**
- Extracting from Laminaria Ochroleuca, Tocopheryl acetate, squalane and several elements brings moisturize and protection of skin.
- Fragrance Free for all skin types, provides protection from head to toe.
- **Pass SGS test.**
- 30ml

G-39 SWIMMING GOGGLE

- Wrap round water sport goggle
- Comfortable silicone skirt provides watertight seal



CB



C



BK

G-40 OPTICAL SWIMMING GOGGLE





G40-OP

- The G40 RX Goggle With UV Protection.
- We answered the need early-on for supplying high-quality prescription lens swimming goggle, including providing customers with the easy-to use, exclusive and innovative Prescription Lenses Calculator.

Features

- The lenses are made of strong impact resistant polycarbonate resin. In addition, the lenses block out harmful ultraviolet rays.
- The long lasting anti-fog system prevents fogging under all conditions.
- Available diopter from
  -1.0 to -6.0 (by 0.5)
  -7.0 to -10.0 (by 1.0)
  +1.0 to +8.0 (by 1.0)
- Left / Right lenses are interchangeable.



LJ-500 ADULT SNORKELING VEST



- 210D Nylon with TPU coating
- Easy Oral inflation
- **SOLAS** reflective tape
- Crotch strap with buckle

SIZES	M	L
Weight	50-80kg/ 110-176lb	80-130kg/ 176-286lb
Height	150-175cm/ 4'11"~5'9"	175-190cm/ 5'9"~6'3"
Buoyancy	@84.5N (8.6kgf/ 19lbf)	@102N (10.4kgf/ 23lbf)



SOLAS

LJ-600 KID'S SNORKELING VEST



- 210D Nylon with TPU coating
- Easy Oral inflation
- **SOLAS** reflective tape
- Crotch strap with buckle

SIZES	LJ600
Weight	20-50kg/ 44-110lb
Height	120-150cm/ 3'11"~4'11"
Buoyancy	@53.4N (5.44kgf/ 12lbf)



SOLAS

IST NEOPRENE GEAR
PFAS-Free/Safe/Durable

Dive Responsibly with IST Eco-friendly Neoprene

At IST, we understand the importance of protecting not only the underwater environments where we dive but also the broader world we live in. By rigorously testing and ensuring our neoprene materials are PFAS-free, we are leading the way in creating safer and more eco-friendly diving gear.

We are thrilled to announce that our neoprene materials have successfully passed PFAS (Per- and Polyfluoroalkyl Substances) testing. This is a significant achievement as it guarantees that our neoprene products are free from these harmful chemicals, which have been linked to a range of environmental and health concerns.

What does PFAS-Free mean for you?

PFAS are a group of man-made chemicals that are commonly used for their resistance to heat, water, and oil. However, they are also known for their long-term persistence in the environment, often referred to as "forever chemicals." They do not break down easily and can accumulate in living organisms over time, posing potential risks to human health and ecosystems.

Recognizing the importance of health and safety, IST has taken proactive steps to ensure that our wetsuits are free from PFAS. By doing so, we empower our customers to enjoy their time in the water with confidence and peace of mind.



IST's PFAS-Free Certification: A Step Towards Sustainability

At IST, we understand that water sports should be safe, enjoyable, and environmentally friendly. Our commitment to health and sustainability drives every aspect of our design and manufacturing processes.

Here's how we prioritize your well-being and the planet:



PFAS-Free Materials:
Our wetsuits are crafted using materials that have been rigorously tested to ensure they are free from PFAS. This commitment guarantees that you can dive, surf, or swim without the worry of harmful chemicals in your gear.



Sustainable Practices:
We are dedicated to minimizing our environmental impact. From sourcing eco-friendly materials to implementing energy-efficient manufacturing processes, we strive to create products that respect and protect the planet.



Durability and Longevity:
Our wetsuits are designed to withstand the rigors of SCUBA Diving and water sports, ensuring that they last for many adventures. By creating durable products, we help reduce the need for frequent replacements, conserving valuable resources.



Transparency and Education:
We believe in empowering our customers with knowledge. That's why we provide clear information about our materials and production processes, allowing you to make informed choices that align with your values.

Our PFAS-free neoprene products reflect our ongoing commitment to innovation, safety, and sustainability. Not only do our wetsuits offer the warmth, flexibility, and durability that divers have come to expect, but they also align with global efforts to reduce the impact of harmful chemicals on our planet.


When you gear up with IST, you are not only protecting yourself from the elements but also playing a role in protecting our oceans, wildlife, and communities from the potential dangers of chemical pollution. With IST, your dive becomes part of a larger movement towards a safer and cleaner world.

IST UNIQUE TECHNIQUE

PURiGUARD®




Experience the ultimate comfort and protection on your underwater adventures with our PURiGUARD Technic anti-bacterial faberic wetsuit for SCUBA diving. Crafted with innovative materials, our wetsuits not only provide superior insulation and flexibility but also incorporate zinc technology, actively combating bacteria to keep you feeling fresh and confident throughout your dives. Dive deeper, explore longer, and embrace the underwater world with the assurance of advanced protection and comfort.




ADVANTAGES

Anti-bacterial
Enviromental Friendly
Save Energy
Long Lasting Effect


HOW ZINC IONS WORK?




Bacteria on our wetsuit.



Zinc ions meet bacteria.



Zinc ions attach to bacteria due to electrostatic interactions.



The attached zinc ions disrupt the lipid bilayer of the bacterial cell membrane, causing structural damage and permeability changes.



This disrupts the ability of bacteria to reproduce and proliferate, ultimately leading to their death.



Advantages:
1. Antimicrobial Properties
2. Long-lasting Effectiveness
3. Safe and Environmentally Friendly

TEST BACTERIA: STAPHYLOCOCCUS AUREUS (ATCC No.6538)		
TEST GROUP	**CFU/mL**	**REDUCTION (R)**
UNTREATED CONTROL AT "0" HR (C)	1.7×10^3	99%
UNTREATED CONTROL AT "24" HR (B)	1.4×10^3	
TREATED TEST AT "24" HR (A)	1.0×10^2	

ANTIBACTERIAL

Mildew / Fungi
Staphylococcus aureus
Klebsiella pneumoniae
Other Microbial Growth

Innovative technology integrating liquid zinc into the process of implanting masterbatch into original yarns is utilized to create fabrics that are sterile and odorless, enhancing the protective properties of both yarn and fabric, achieving a fabric type with zero pollution that also possesses antibacterial and environmental protection functions. The environmentally friendly fibers produced through this process require no dyeing in subsequent stages, making the manufacturing process environmentally friendly by significantly reducing the discharge of wastewater and carbon dioxide, shortening production time, and minimizing energy waste during production.

PG-WS815 (1.5MM) **PG-WS80** (3MM) **PG-WS805** (5MM) **PG-WS807** (7MM) DIVING JUMPSUIT

- IST signature jumpsuits, constructed of high-grade neoprene in 1.5mm, 3mm, 5mm and 7mm thickness options.
- Special printing technique on shoulders and chest areas offers extra durability in areas prone to high wear when diving with a BCD
- YKK #5 zips at wrists and ankles
- 1.5mm & 3mm suit Flat-lock Stitching / 5mm & 7mm suits: Double Blind Stitching
- 3mm&5mm&7mm suits: Super-stretch material at armpits and lower back area to maximize range of motion.
- 7mm suit: Semi-dry technology at wrists and ankles

SIZES	MEN'S	S	M	L	XL	XXL
	WOMEN'S	5	7	9	11	13









Integrated calf compression sleeves improve blood circulation to stave off leg cramps and fatigue.

IMPERIAL SIZE CHART

Women's	5	7	9	11	13
Weight(lb)	110-121	122-132	133-143	144-154	155-165
Height(in)	5'1"-5'3"	5'3"-5'5"	5'5"-5'7"	5'7"-5'9"	5'9"-5'11"
Chest(in)	33.5	34.5	35.5	38	39
Waist(in)	24	25	26	28	30
Hip(in)	35	37	39	41	43

Men's	S	M	L	XL	XXL
Weight(lb)	135-162	163-185	186-215	216-235	236-255
Height(in)	5'3"-5'5"	5'6"-5'7"	5'8"-5'11"	6'-6'1"	6'2"-6'3"
Chest(in)	26/37	38/39	40/43	43/45	46/47
Waist(in)	29-31	32-33	35-37	38-39	40-41
Hip(in)	35-37	38-39	40-43	44-45	46-47

PG-WS35 DIVING SHORTY



- High-grade neoprene in 3mm with stylish black flat-lock stitching.
- Super-stretch material at armpits and lower back area to maximize range of motion.
- Special printing technique on shoulders and chest areas offers extra durability in areas prone to high wear when diving with a BCD.

SIZES	MEN'S	S	M	L	XL	XXL
	WOMEN'S	5	7	9	11	13



PG-WJ0125
WIND-BREAKER JACKET

- 2.5mm neoprene jacket keeps the body warm in between or after dives.
- Taped edges stop the fabric from fraying.
- Flat-lock stitching.

SIZES	XS, S, M, L, XL, XXL





PG-WP7
WATERSPORT PANTS

- 3mm Nylon / Rotex neoprene multi-purpose pants.
- Ankle zips for easy donning and doffing.
- 2 large side 1680D Nylon pockets with D-rings for easy access and storage.
- Rotex fabric designed on hips for great durability for watersports activities.
- Protective Add-on Knee pads.
- Adjustable waist webbing w/ large D-ring and buckle.
- Front fly zipper using YKK#10

SIZES	S, M, L, XL, XXL





METRIC SIZE CHART

Women's	5	7	9	11	13
Weight(kg)	51-55	56-60	61-65	66-70	71-75
Height(cm)	155-160	161-165	166-170	171-175	176-180
Chest(cm)	85	88	91	96	100
Waist(cm)	61	64	66	71	76
Hip(cm)	89	94	99	105	110

Men's	S	M	L	XL	XXL
Weight(kg)	61-73	74-86	87-97	98-106	107-115
Height(cm)	160-165	166-170	171-180	181-185	186-190
Chest(cm)	91-95	96-101	102-109	110-114	115-119
Waist(cm)	73-78	79-83	84-93	94-99	100-105
Hip(cm)	89-94	95-100	101-109	110-114	115-120

PG-HDN0130 (3MM) PG-HDN0150 (5MM) HOOD



- Made from PURiGUARD anitibacterial fabric.
- Blind stitch and tripled glued hood.
- Smooth skin face seal restricts water movement.
- The bib can be tucked under wetsuit collar to maintain warmth.
- Double-layerd top panel with vent.

SIZES	S, M, L, XL. XXL



PG-HD6 PROEAR HOOD

- Made from PURiGUARD anitibacterial fabric.
- Specially designed Pro Ear mask hood.
- Two layers of soft neoprene, 5mm in total.
- Special stretchable front panels allow for easy adjustment.
- Smooth skin face seal restricts water movement.

SIZES	S, M, L, XL. XXL







HD9 BEANIE STYLE HOOD

- Comfortable 3mm super-stretch neoprene hood with taped edges.
- Protects the head from getting sun burnt during the time being at the surface or for other watersport activities.
- Provides divers with basic warmth retention and prevents hair entanglement with the mask strap.
- Chin strap with velcro closure.
- SIZES S/M, M/L, L/XL

SIZES	S/M, M/L, L/XL



HOOD4 HOODS

UV protection 50+



BK




BK/B

Features include:

- Ultra comfortable tropical hood with collar
- Made from high quality spandex
- Flat-lock stitching
- UV protection applied

SIZES	XS	S	M	L
A	21cm	22cm	23cm	24cm
	8.2"	8.6"	9"	9.4"
B	36cm	37cm	38cm	39cm
	1'2.1"	1'2.5"	1'2.9"	1'3.3"



WSR50 3MM DIVING REVERSIBLE JUMPSUIT


SV (Men)


P (Woman)


Reversed

- Optimized for use as rental gear.
- Reversible design with large size marks on both sides to simplify finding and sorting sizes in the dive shop.
- 3mm high-grade neoprene with **DOUBLE BLIND STITCHING**.
- Super-stretch fabric at armpits for greater movements.
- YKK #5 zippers at ankles for easier donning and doffing.
- REVERSIBLE

SIZES	MEN'S	S	M	L	XL	XXL
	WOMEN'S	5	7	9	11	13

VSA-0240 APNEA WEIGHT VEST


BK

- 4mm high-grade neoprene vest with 8 weight pockets and each pocket takes up to 2KG (4.4lb) weight.
- 1.5" webbings at both shoulders and waist for easy adjustment.

SIZES	M, L, XL

DH-2 DIVER'S HOLSTER







- Made from 3mm neoprene.
- Gives extra storage space to carry additional gear.
- Additional D-rings served as the extra attachment points.
- Adjustable Velcro closure.
- No. 10 rust-proof YKK zips.

SIZES	S/M, L/XL, XXL

PG-VSH100-10 CAMOUFLAGE HOODED SUITS



10/B


10/GN


10/BY

- Spandex material with high grade neoprene at front torso
- Flat-lock stitching.
- Foamed chest pad for spear gun loading.
- Designed to be worn over a wetsuit or alone.

SIZES	S, M, L, XL, XXL



DSF-46 FRONT-ZIP LONG SLEEVE RASH GUARD NEW



BK/B

Designed for comfortable sun protection in and around the water, the DSF-46 features a convenient full-length front zipper for easy on and off. The long-sleeve design provides extended coverage, while the stretch construction allows freedom of movement for diving, snorkeling, swimming, and other water activities.

- **UPF 50+ sun protection**
- Full-length front zipper for easy entry and removal
- Long-sleeve design for enhanced coverage
- Comfortable stretch fit for unrestricted movement

SIZES	XS, S, M, L, XL, XL, XXL

Rash guard size chart

DS-46	Metric Size Chart		Imperial Size Chart	
Size	**Height (cm)**	**Chest (cm)**	**Height (inch)**	**Chest (inch)**
XXS	146-150	80-86	4'9"-4'11"	31.5-34
XS	151-160	84-90	4'11"-5'3"	33-35
S	160-165	88-94	5'3"-5'5"	34.5-37
M	166-170	92-98	5'5"-5'7"	36-38.5
L	171-180	96-102	5'8"-5'11"	38-40
XL	181-185	100-106	5'12"-6'1"	39-41.5
XXL	186-190	104-110	6'2"-6'3"	41-43

DS-66	Metric Size Chart		Imperial Size Chart	
Size	**Height (cm)**	**Chest (cm)**	**Height (inch)**	**Chest (inch)**
XS	150-155	70-76	4'11"-5'1"	27.5-30
S	156-160	74-80	5'1"-5'3"	29-31.5
M	161-165	78-84	5'3"-5'5"	30.5-33
L	160-170	83-89	5'5"-5'7"	32.5-35
XL	171-175	87-93	5'7"-5'9"	34-36.5

DS-66 RASH GUARD

UV protection 50+



F02



GY-B

- Excellent for any ourdoor and water sports activities
- Easy care
- UV Protect 50+
- Design for female
- Comfortable T-shirt style

SIZES	XS, S, M, L, XL

DS46 RASH GUARD

UV protection 50+



BK/GY



S/W



BK/B

- Excellent for any ourdoor and water sports activities
- Easy care
- UV Protect 50+

SIZES	XXS, XS, S, M, L, XL, XXL

S-680 (5MM) SEMI-DRY KEVLAR GLOVES
S-780 (3MM) KEVLAR GLOVES







- 5mm semi-dry Kevlar-reinforced fabric lined gloves
- Double smooth skin semi-dry cuff restricts water movement
- Velcro closure

SIZES	XS, S, M, L, XL, XXL

- 3mm Kevlar-reinforced fabric lined gloves
- Velcro closure

SIZES	XS, S, M, L, XL, XXL

GL-04 REEF GLOVES (2MM)





- Amara palm constructions
- Thumb and forefinger area of the gloves at right hand can be opened for photo shooting purpose

SIZES	XS, S, M, L, XL, XXL





S-900 TROPICAL GLOVES (2MM)

- 2mm gloves with AMARA palm.
- Extra reinforcements on finger tips and palm.
- Soft neoprene for increased finger dexterity.

SIZES	XS, S, M, L, XL, XXL



S-326 (2.5MM)

- Stylish super-stretch neoprene gloves
- Extremely form fitting and comfortable
- Super-stretch Gloves

SIZES	XS/S, M/L, XL/XXL

STRETCH



SK-2

- 3mm Neoprene socks with anti-skid dots on soles.
- Double glued & blind stitched.

SIZE	S	M	L	XL	XXL
CM	24	25	27	28	30
INCH	9.5	9.8	10.6	11	11.8



SK-3

- 3mm Neoprene socks with anti-skid dots on soles.
- Double glued & blind stitched.

SIZE	S	M	L	XL	XXL
CM	24	25	27	28	30
INCH	9.5	9.8	10.6	11	11.8



SKB BEACH SOCKS



- **Super-stretch Spandex** upper with stretchy ankle rim.
- Tough neoprene sole with **anti-slip traction dots** protects feet from uneven and slippery surfaces.
- Shield feet from sunburn, biting insects, hot or cold surfaces, and friction burns or blisters when worn inside sandals or fins.

SIZE	XS	S	M	L	XL	XXL
CM	24	25	26	27	29	29
INCH	9.5	9.8	10.2	10.6	11	11.4

S-38 LOW CUT BOOT

- Versatile 3mm tropical boots.
- Glued and blind stitched seam to minimize water flow.
- Vulcanized sole.
- Glued and blind stitched seam to minimize water flow.

SIZES	#4 - #13



S-19

- 5mm nylon II boots.
- Vulcanized rubber sole with additional heel cap for protection and durability.
- Built-in fin strap keeper.
- No.10 ultra durable YKK zipper.

SIZES	#4 - #13



S-65 5MM SNEAKER SOLE

TITANIUM





- 5mm Titanium NYLON II boots with sneaker sole.
- Double-guled and blind-stitched construction.
- Heel and Toe caps for durability and extra protection.
- No. 10 Ultra durable YKK zip.
- Built-in fin strap keeper.
- Vertical / Horizontal lines and cuts for more flexible movements. The Yellow lines mark off in the middle, its drainage groove keeps as less water as possible
- Drain lines extend to all over round.

SIZES	#4 - #13









S7 (5MM) TITANIUM BOOTS
S7/6.5 (6.5MM) TITANIUM BOOTS

TITANIUM



S7

- Titanium and spandex lined boots.
- All boots double-glued and blind-stitched.
- Excellent for cold water diving.
- Vulcanized rubber sole.
- Toe and heel caps for additional support and protection.
- Built-in fin strap keeper.
- No.10 ultra durable YKK zip.

SIZES	#4 - #13





S7/6.5

B-220 FELT SOLE LOW CUT BOOT
B-220/B SPECIAL EDITION FOR RENTAL MARKET



- Low cut boots with **12mm(0.4")** thick felt sole.
- 3mm neoprene with ROTEX upper.
- Great for walking on slippery coastal reefs
- Glued and blind stitched seam to minimize water flow.
- Size chart please go to page 75

SIZES	#4 - #13

Rental Gear

B-330/C FELT SOLE BOOT
B-320/B SPECIAL EDITION FOR RENTAL MARKET



- Boots with **12mm(0.4")** thick felt sole.
- 4mm neoprene with ROTEX upper.
- Great for walking on slippery coastal reefs
- Glued and blind stitched seam to minimize water flow.
- Size chart please go to page 75

SIZES	#4 - #13

Rental Gear

BT0430 LOW CUT BOOT



- Optimized for use as rental gear.
- Large size marks on uppers to simplify finding and sorting sizes in the dive shop.
- 3mm neoprene sandwiched between high quality, stretchy nylon fabric.
- Flat-lock stitched upper seams to prevent skin irritation.
- Tough, vulcanized rubber sole.
- Toecap and heel cap for greater protection and durability.
- Elastic fabric at ankles for easier donning and doffing.

SIZES	#4 - #13

Rental Gear

Shoes and Boots Size Chart

SIZES	3XS	XXS	XS	S	M	M/L	L	XL	XXL	3XL
US	4	5	6	7	8	9	10	11	12	13
Euro	34/35	36	37/38	39	40/41	42	43/44	45	46/47	48
cm	22	23	24	25	26	27	28	29	30	31

MJ-112 NYMPH



B

- Single lens mask with tempered glass **for kids**
- Silicone mask and skirt for ultra comfortable
- Fits wide range of facial profile



NY



P

MJ-111 UNO



PB/NY

- Single lens mask with tempered glass **for kids**
- Hypoallergenic silicone mask skirt and strap for ultra comfortable
- Fits wide range of facial profile



W/T



HP

M-59 TWINGO



CB

- Comfortable twin lens **JR. mask** with a skirt that is able to accept a great range of facial profiles.
- Hypoallergenic mask skirt and strap.
- Swivel buckles add to comfort while wearing.



W



CBK

M-71 LYRA



B

- Single lens **JR. mask** with tempered glass, silicone skirt and strap.
- Swivel buckles that changes angle to accommodate various facial profiles.



BK



NY

SNK-205

- Dry snorkel for **kids** with silicone tube and mouthpiece
- Equipped with purge valve to channel water out of the snorkel
- Smooth air passage and easy breathing



SN-18

- Perennial best selling **JR. snorkel**.
- Hypoallergenic liquid silicone mouthpiece.
- Easy to adjust snorkel holder.
- Purge valve for easy water clearance.



SNK-8



- Junior snorkel with splash guard and purge
- Small hypoallergenic silicone mouthpiece for children

FK-09 SWIFT



- Stylish kids' open heel fins.

SIZES	L/XL
US	3-5
EURO	34-38

F-36 VELOX



- Balanced blade and comfortable foot pocket
- Open toe box for quick drainage

SIZES	3XS	XXS
US	1-2	3-4
EURO	33-34	35-36

CS-71088/A KID'S TWO PIECE COMBO SET



M-71 + SNK-8 + CS8 (mesh bag)

CS-59188/A KID'S TWO PIECE COMBO SET



M-59 + SN-18 + CS8 (mesh bag)

CFJ-02/A KID'S THREE PIECE COMBO SET



MJ111 + SNK-205 + FK09 + CS8-L (mesh bag)

SIZES	L/XL
US	3-5
EURO	34-38

CF-710809/A KID'S THREE PIECE COMBO SET

M-71 + SNK-8 + FK-09 + CS8-L (mesh bag)

SIZES	L/XL
US	3-5
EURO	34-38







CFK-590809/A KID'S THREE PIECE COMBO SET

M59 + SNK-8 + FK09 + CS8-L (mesh bag)

SIZES	L/XL
US	3-5
EURO	34-38







CS8 CS8-L MESH BAG

- 2-piece/ 4-piece combo set nylon mesh bag with straps.

DIMENSION	20cm x 44cm (7.9" x 17.3")
DIMENSION	32cm x 55cm (12.5" x 21.6")



SK-3J 3MM KID'S SOCKS

- 3mm short-cut neoprene socks
- Blind stitching constructions

SIZES	S	M	L	XL
LENGTH	20cm	21cm	22cm	23cm
INCH	7.9"	8.3"	8.7"	9"



T-60 APOLLO LED TORCH



- Four selectable operation modes:
  High Output Mode→Mid Output Mode→Low Output Mode→SOS Mode→OFF
- Magnetic power switch
- 6061-T6 Light-weight aluminum material
- Light diffuser attachable
- Patented build-in sliding cover provides protection for users to the strong light when using the diffuser
- Come with one lanyard

Bulb type	1 x CREE XM-L2 U3
LED life	50000 hours
Brightness	1200 Lumens
Burn time	2-10 hours
Max. Depth	100m / 328ft
Weight(dry)	116g / 0.26lb (without battery)
Buoyancy	Negative
Two Kinds of Battery type	1 x 18650 rechargeable Li-ion (recommend) or 2 x CR123A primary lithium batteries
Dimension	13.2cm x Ø2.6cm (5.20" xØ1.02")

T16 SINGLE HIGH POWER LED BACK-UP TORCH



- Handy-sized 3 watt back-up torch with effective illumination.
- Specially designed switch lock system to prevent accidental activation.
- Double o-ring sealed provides extra security against leakage.
- Quick and easy battery replacement.
- Strong plastic casing.

Burn time	5+ hours
LED life	10000+ hours
Colour temp.	5500K
Brightness	900 Lumens
Max. Depth	60m / 197ft
Weight(dry)	165g / 0.36lb (without battery)
Buoyancy	Positive
Battery type	3 C-sized batteries
Dimension	16 cm × 6 cm x 5 cm (6.2" × 2.4" × 2")

BG-05 LIGHTWEIGHT DIVER'S ROLLING BAG



Carry buckle

- Made from tough and durable 600D polyester fabric
- Telescopic handle can be stowed away when not using
- Adjustable padded shoulder straps for another option of carrying
- Capacity: 90L
- Weight: 5KG

DIMENSION
70cm x 35cm x 40cm (27.6" x 13.8" x 15.8")



Side pocket



BG-03/S DIVER'S ROLLING BAG



- Capacity: 131L
- Telescopic handle can be stowed away when not rolling.
- Super light but durable polyester fabric makes this bag extremely suited for traveling and it's 5 kg (11 LB) only!

DIMENSION	80cm x 47cm x 40cm (31.5" x 18.5" x 16")



MGB-11 MGB-12 MESH BAG



	DIMENSION
MGB-11	81cm x Ø40cm (32" x Ø16")
MGB-12	68cm x Ø32cm (27" x Ø12")

MGB-36 MESH BAG



- Made from lightweight and tough 600D polyester fabric with durable nylon mesh
- Roomy, lightweight, and easy to maintain

DIMENSION	75cm x 30cm x 24cm (29.5" x 11.8" x 9.4")

MGB-10 FOLDED MESH BAG



- Large retractable mesh backpack.
- When not in use, MGB-10 can be folded and tucked away neatly in your equipment bag.
- Ideal as a spare carrying bag.

	DIMENSION
Fully Extended	73cm x 35cm x 40cm (29" x 14" x 16")
Folded	7cm x 20cm x 25cm (2.7" x 7.9" x 9.8")

BGM-02 ONE-HAND-RELEASE GAME BAG



- Spring-loaded handle catch bag provides convenience, quick and easy access to the interior.
- The bag can be opened with only one hand, leaving the other hand free to hold on to the catch.
- Heavy duty 420D nylon and lasting mesh bottom allows for fast drainage.
- Stainless steel made handle and spring.

DIMENSION	70cm x 42cm (27" x 16")





DB-14



Mesh bag with plastic D-ring and drawstring closure.


DIMENSION
68.5cm x 41cm (26" x 16")

BGM-05



Heavy duty 420D nylon and lasting mesh bottom allows for fast drainage. Stainless steel made handle with clip provides convenience, quick and easy access to the interior.

DIMENSION	90cm x 60cm (35.4" x 23.6")

DB-10L 10L DRY BAG

- Lightweight and durable dry bag made from environmental friendly material 500D TPU coated fabric.
- Comes with 1.5" webbing strap.

DIMENSION

Ø20cm x 48cm (Ø7.9" x 18.9")



GN

DB-20L 20L DRY BAG

- Lightweight and durable dry bag made from environmental friendly material 500D TPU coated fabric.
- Comes with 1.5" webbing strap.

DIMENSION

Ø23.5cm x 61cm (Ø9.3" x 24")



B

DB-40L/N 40L DRY BAG



BK



Deluxe shoulder straps

- Comes with two padded shoulder straps.
- Lightweight, durable dry bags.
- Made from environmental friendly material (500D TPU coated PVC).

DIMENSION

Ø30cm x 72cm (Ø11.8" x 28")

DB-6 DRY CANISTER



R NY BK

Dimension: Ø 5cm x 18cm (Ø2" x 7")
Colors: BK, NY, R

K-26 SPEARFISHER'S KNIFE



- The 4 mm 420J2 stainless steel blade provides excellent corrosion resistance and durability, maintaining its sharpness and polished finish even after long exposure to saltwater environments.
- The double-edged blade has one smooth edge and one serrated edge with a barb, allowing for versatile use—from cutting rope to precisely handling catch underwater.
- Suitable for divers, freedivers, and spearfishing enthusiasts

Blade Length	Approx. 13cm (5.1")
Overall Lenght	Approx. 25cm (9.8")
Total Weight (With Sheath & Straps)	240g (0.53lb)

K-27 SQUEEZE-LOCK DIVE KNIFE



- The knife's squeeze-lock handle allows quick, one-handed release or secure locking, ensuring safe and reliable use.
- The 4 mm 420J2 stainless steel blade provides excellent corrosion resistance and durability, maintaining its sharpness and polished finish even after long exposure to saltwater environments.

Blade Length	Approx. 12.6 cm (5")
Overall Lenght	Approx. 25.2 cm (9.9")
Total Weight (With Sheath & Straps)	241 g (0.53 lb)

K-21 STAINLESS STEEL KNIFE



- 11cm(4.3") long 420 grade stainless steel pointed-tip blade
- Serrated edge with line cutting groove
- Rubber knife straps included
- Designed for spearfishing purpose

K-09/S



- 13.5cm(5 3/8") long 420 grade stainless steel blade
- Steel butt for underwater signaling
- Proper serrated edge and line cutting groove
- Rubber knife straps included

BK CB

K-60 COMPACT DIVE KNIFE



- The 4 mm 420J2 stainless steel blade provides excellent corrosion resistance and durability, maintaining its sharpness and polished finish even after long exposure to saltwater environments.
- Includes a BC hose-mount adapter, allowing the knife to be conveniently attached to a low-pressure inflator hose for easy access during dives.

Blade Length	Approx. 9.2 cm (3.62")
Overall Lenght	Approx. 19.7 cm (7.8")
Total Weight (With Sheath & Straps)	96 g (0.21lb)

K-28 BCD KNIFE

- Back-up BCD knife with 7cm(2.8") 420 grade stainless blade
- Durable nylon sheath, which can be mounted upside down on BCD shoulder strap or stored in BCD pockets.
- Serrated edge with line cutting groove



K-30 BCD KNIFE TITANIUM

- Back-up BC knife made from high grade #6-4 titanium
- Durable and easy-carry nylon sheath, which can be mounted upside down on BC shoulder strap or stored in BC pockets
- Serrated edge with line cutting groove
- Overall length: 15cm (5.9")





K-40 BCD KNIFE

- Foldable #304 stainless steel diving BCD knife
- Comes with lanyard

LENGTH	
Extend	21cm (8.25")
Fold	12cm (4.7")



KB-01

- Rubber knife strap.
- 45cm(17.7") long.





RL-3/N 30M /100FT RL-4/N 50M /165FT RL-5/N 15M /45FT



- The last 5m(15ft) line has been changed into orange color for the purpose of being as a decompression stop reminder for divers
- Comes with marine grade brass clip
- Strong string with special braiding capable of holding onto object with maximum 80kg / 176lb(dry weight)
- Light weight construction:
  RL-3/N 156g (5.5oz)
  RL-4/N 194g (6.83oz)
  RL-5/N 115g (4.06oz)

RL-6/N 15M /45FT ALUMINUM REEL RL-7/N 30M /100FT ALUMINUM REEL



RL-7/N



RL-6/N

- The last 5m(15ft) line has been changed into orange color for the purpose of being as a decompression stop reminder for divers
- Strong string with special braiding capable of holding onto object with maximum 80kg / 176 lb (dry weight)
- Flared design makes for easier winding when wearing gloves under-water.
- Larger center hole can accommodate thicker gloves.
- Constructed of tough anodized aluminum alloy for durability.
- Come with a 10cm (4") 304 stainless steel double clip.
- Light weight construction:
  RL-6/N 236g(8.32oz.)
  RL-7/N 291g(10.26oz.)

RL-1 80M /265FT
RL-2 45M /150FT

- Strong string with special braiding capable of holding onto object with maximum 80kg / 176 lb (dry weight)
- Reel and carrying handle made from durable ABS material
- Ratcheted system allows better control of the line when paying out and reeling in



LB-50/Q 50 LBF LIFT BAG
LB-100/Q 100 LBF LIFT BAG



- 50lbf and 100lbf lift bag with quick-disconnect inflation valve and over-pressure valve.
- 304 stainless steel D-ring.

SB-10/A SURFACE MAKER BUOY WITH REEL



- Made from 75D TPU coated Nylon + SOLAS reflective tape
- Reel: 15m(45ft) / Line has been changed into orange color for the purpose of being as a decompression stop reminder.
- Dimension: 181cm x 13.5cm (71.2" x 5.3")
- Stainless Steel clip (76mm) include.

DIMENSION	181cm x 13.5cm (71.2" x 5.3")

SB-9 "DIVER BELOW" BUOY



- Made from 75D TPU coated Nylon.

DIMENSION	181cm x 13.5cm (71.2" x 5.3")



SB-5 SURFACE MARKER BUOY

Reusable safety sausage with a unique two-layer design: the outer layer is made of 210D nylon with water-resistant PU coating, which protects the inner bladder.


DIMENSION	154cm x 18cm (60" x 7")



The sturdy storage pouch has a mesh bottom for quick drainage. It can be carried on any 2" webbing or clipped onto a d-ring.



SB-8/Q-R SURFACE MARKER BUOY WITH REFLECTIVE TAPE



- Made from 210D TPU coated Nylon.
- Plastic oral inflator.
- SOLAS reflective tape.

DIMENSION	114cm x 12cm (45" x 4.7")



SB-10/A

SB-9

SB-5

SB-8/Q-R

FD-BUOY/E FREEDIVING BUOY



- 15" inner diameter freediving buoy made from heavy duty 600D PU coated polyester fabric for outer shell;
  ultra high-grade rubber for inner tire.
- **A flag seat located on top of the buoy for dive flag if needed.**
- 6 handles located around the buoy allows several divers to use at the same time; **2 extra handles on top.**
- 2 stainless steel D-ring at sides of the buoy for connecting with other buoys if necessary.
- 2 YKK #10 zips at front cover for easy operation and also prevent stuffs from falling out.
- **Double mesh bag inside for storage personal item.**
- 4 stainless steel grommets at bottom to drain water.
- 2 stainless steel D-ring are fixed at bottom with extra durable 2" polyester webbing for divers to connect weight and rope;max. dry weight loading 300KG (660lbs).
- Comes with a tire inflation adapter can be connected to a BC hose.


Double mesh bag for storage personal item


2 shoulder straps designed for easy carrying


Comfortable hand grip


D-ring for rope storage

N8 TIRE INFLATOR

- Copper chrome plating covered by aluminum alloy.
- QD connector design for BC hose.
- With this inflator, FD-IT/15 inner tire can be fully inflated in 15 seconds.



FD-IT/15 INNER TIRE

- High quality natural rubber compounded with special formula
- makes the tire more durable than other rubber products.
- Comes with US standard TR-15 valve, can be inflated with bicycle inflator or IST N-8 product.
- Dimension: Inner Diameter: 390mm(15.35")
- Otter Diameter: 750mm(29.53")




Comes with US standard TRR-15 valve

BP1-1 BACK PACK

Classic diving backpack with tank bands and high quality webbing set. (304 S.S. cam buckle)



BP2/I TANK STRAP

The strong, lightweight cam buckle can withstand rigorous use. Supple 2"(5 cm) webbing makes threading an easy task. Fits tanks with diameter from 175mm(6.9") to 203mm(8")



BCHH-3



BK CB NY

OPRV-1

- Adjustable 1st stage over pressure valve.
- Pressure releases from 11.7 bar (170 PSI) up.



SFP-2 OCTOPUS PLUG



ON-1 OCTOPUS NECKLACE



NY BK

- Worn around the neck so the octopus can be quickly located in an emergency.

SIZES	CIRCUMFERENCE
S	60cm (23.5")
M	72cm (28.3")
L	80cm (31.5")

MPC OCTOPUS COVER



O NY GN

- 2nd stage/ octopus mouthpiece cover.
- Can be used as an octopus holder.
- Can be used with a variety of mouthpieces.

YK-03

- DIN to Yoke 1st stage converter – for either 200 or 300 bar (G 5/8) DIN connectors



N-4

- 90 degree adapter for 2nd stage



N-5

- Stainless air nozzle
- For land use only!



N-6

- Tire inflator



N-7

- 2nd stage swivel



N-8



- Copper chrome plating covered by aluminum alloy.
- QD connector design for BC hose.
- With this inflator, FD-IT/15 inner tire can be fully inflated in 15 second

RA-2



- Adapter: 1/2" male to 3/8" female

RA-6



- 1st stage 110° adapter changes the angle the intermediate pressure hose leaving the 1st stage for better hose routing and streamlining purpose

RA-9



- 1st stage 90° adapter changes the angle of the high pressure hose leaving the 1st stage for better hose routing and streamlining purpose.
- Allows 360° swivel.
- 7/16" male to 7/16" female

HPSW1
HIGH PRESSURE HOSESWIVEL SPOOL



- Shouldered air spool.

HPSW2
HIGH PRESSURE HOSE SWIVEL SPOOL



- Standard air spool.

HPSW3
HIGH PRESSURE HOSE SWIVEL SPOOL



- Long air spool.

DT-9 NEW

R-2000 First-Stage Service Tool
The DT-9 is a purpose-built service tool for the R-2000 regulator first stage. Its multi-pin engagement profile is designed to fit the designated first-stage component securely and provide controlled contact during assembly or servicing.

- Dedicated service tool for the R-2000 regulator first stage.
- Multi-pin socket profile provides positive engagement with the designated component and helps reduce the risk of slipping during service.
- Designed for use with a 1/4-inch drive torque wrench for controlled tightening during regulator service and assembly.
- Compact workshop tool intended for accurate, repeatable maintenance procedures.



DT-5

- Overall length: 6cm(2.35") when folded
- It contains:

Allen key: (1/4", 3/16" 5/32")	x3
O-ring pick	x1
Phillips screwdriver	x1
Orifice adjustment flat screwdriver	x1
Inflator Schrader valve tool	x1
Valve nut slotted screwdriver	x1



DT-6 YOKE TOOL FOR R-7 1ST STAGE



DT-7 YOKE TOOL FOR R-8 1ST STAGE




DT-8 MULTI-TOOL SCREWDRIVER



- Material: Chrome Vanadium Steel
- Total length: 73cm (2.9")
- Flat screwdriver: 2mm, 5mm
- Allen key: H2, H2.5, H3, H4, H5, H6
- Phillips screwdriver: PH2
- Star screwdriver: T10

OR-5 20PCS DIVER'S O-RING KIT



- Contains:

SPG swivel spool O-rings	x4
Low pressure hose female O-rings	x3
Low pressure hose male O-rings	x5
High pressure hose male O-rings	x2
Tank valve (YOKE) O-rings	x5
Tank O-ring (neck)	x1
Silicone grease (2g)	x1

DT-4/B REPAIR TOOL KIT NEW

IST new version driving tool kit for hard gear repair

1. Allen Key Set (3mm, 5mm, 6mm, 8mm, 3/16")
2. Tank Valve Knob Screwdriver: 1
3. Adjustable Spanner: 1
4. O-ring Picker (3 in 1 set): 1
5. 2nd Stage 4 Slot Tool: 1
6. Nut Remove Tool: 1
7. 1st Stage Pin Spanner: 1
8. 1st Stage Connect LP Port & HP Port Handle: 1
9. BCD Low-Pressure Hose Valve Tool: 1
10. Pointed C-Clip Pliers: 1
11. 2nd Stage Orifice Adjustment Tool: 1
12. 2nd Stage Retainer Ring Opener: 1
13. Diagonal Pliers: 1
19. R-2000 First-Stage Dual-Size Service Tool



DT4-19 R-2000 FIRST-STAGE DUAL-SIZE SERVICE TOOL NEW



The DT4-19 is a dedicated R-2000 first-stage service tool with two working sizes for regulator maintenance. Its compact, purpose-shaped head allows secure engagement with the specified fittings and can be paired with IST service tooling for controlled assembly and disassembly.

- Dedicated service tool for the R-2000 regulator first stage.
- Purpose-shaped head provides stable engagement with the specified first-stage fittings during service.
- Can be used together with IST DT4-08.
- Designed to support accurate and consistent regulator maintenance procedures.
- **Two working end sizes:**
  Male end: 3/8"
  Female end: 7/16"





DT4-01/A
ALLEN KEY SET

- 3mm, 4mm, 5mm, 6mm, 8mm, 3/16"



DT4-02
TANK VALVE KNOB SCREWDRIVER



DT4-04
O-RING PICKER 3 IN 1 SET



DT4-05
2ND STAGE 4 SLOT TOOL



DT4-07
1ST STAGE REGULATOR PIN SPANNER



DT4-08
1ST STAGE REGULATOR HANDLE



DT4-09
BCD LOW-PRESSURE HOSE VALVE TOOL



DT4-10
POINTED C-CLIP PLIERS



DT4-11
2ND STAGE ORIFICE ADJUSTMENT TOOL



DT4-12
2ND STAGE RETAINER RING OPENER



WR-1
UNDERWATER WRITING SLATE

- Comes with a clip for convenient carrying
- Equipped with quick release buckle

DIMENSION	12.5cm x 15cm(5" x 6")



WR-5
UNDERWATER NOTEBOOK

- Contains 25 pages of reusable waterproof paper.
- The cover is made from durable 2250D PU coated ballistic nylon.

DIMENSION	
Open	20cm x 25cm(8" x 10")
Folded	20cm x 12.5cm(8" x 5")



WR-3
MULTI-SIDED UNDERWATER WRITING SLATE

- Unique slate with elastic hinge for more writing space without losing compactness
- Can be attached to the forearm for streamlining and out of the way of any wrist instrument

DIMENSION	12.5cm x 10cm (4.9" x 3.9")



WR5-REFILL
UNDERWATER NOTEBOOK REFILLED

- 25 Pages of waterproof reusable with hard plastic covers.

DIMENSION	
Open	17.5cm x 20.4cm(7" x 8")
Folded	17.5cm x 10.2cm(7" x 4")



WR-6/A UNDERWATER SLATE WITH RETRACTOR



- Underwater slate with ruler (length 15 cm / 6").
- With retractor pulled back while writing
- Stainless steel wire length @ 54 cm (18.7").

DIMENSION	10cm x 15cm (3.9" x 5.9")

TA-8 SIGNALING DEVICE

- Stainless steel underwater shaker with magnetic device to stop unwanted rattle.
- Overall length: 15cm (5.9")






TA-7

- Aluminum pointer with ruler and lanyard.

OVERALL LENGTH	30cm (11.8")



WH-04
SPLIT FIN SHAPED WHISTLE



CPR
EMERGENCY RESUSCITATION KIT

- Allows mouth to mouth resuscitation without physical contact.
- Made from hypoallergenic silicone.
- Separate oxygen tube inlet.
- Comes with protective case.



AW-1 LINE ARROW

- Overall length: 6.5cm (2.6")



AW-3 LINE ARROW

- Colors: NY, O, W
- Overall Length: 8.4cm(3.3")



MP-1
SILICONE MOUTHPIECE



MP1-M
SILICONE MINI MOUTHPIECE



MP-2
SILICONE MOUTHPIECE

- Comfort Style



MP-9
SILICONE MOUTHPIECE

Dual-color mouthpiece for personal color preference.
- Made from softer silicone for a comfortable bite.
- Reinforced biting surface for added durability.
- Universal fit for various snorkels and second stages.



MP-5
SILICONE MOUTHPIECE

- Ergonomic Style



MP-6
MOULDABLE MOUTHPIECE

Simply immerse the mouthpiece (including all of its attachments to keep its profile in critical sections) into 95°C / 203°F water for 30 seconds, place it inside mouth, biting down and sucking on it for 30 seconds. Rinse with cold water and then recheck fit. Repeat the process as necessary.




MP-7
SILICONE MOUTHPIECE

- Comfort + ergonomic style




WB-10 WEIGHT BELT

- Weight belt with plastic buckle and 5cm(2″) webbing.
- 150cm (5′) long.



WB-12 WEIGHT BELT

- Weight belt with BB-3 stainless buckle and 5cm(2″) webbing.
- 150cm(5′) long.



BB BELT BUCKLE-PLASTICS




BB-3 CAM BELT BUCKLE

- 304 stainless steel cam lock belt buckle.
- Secure 3-slot design



W-01 1KG(2.2LB) COATED LEAD WEIGHT
W-02 2KG(4.4LB) COATED LEAD WEIGHT



- Safe to handle and better for the environment.
- Plastic coating will prolong usage.
- 5cm (2″) webbing slots.

TB PLASTIC TANK BOOT



- Fits tank with Ø18.4cm(7.25″)
- Drainage channels and holes.

TB-2 RUBBER TANK BOOT



- Fits tank with Ø18.4cm(7.25″)
- Drainage channels and holes.

WK-2 D-RING WEBBING KEEPER

- 304 stainless webbing keeper with serrated teeth and a D-ring welded on for convenience. The slots are 5cm(2") wide.




WK-3 WEBBING KEEPER


- 304 stainless webbing keeper with serrated teeth and cal also function as a weight keeper. The slots are 5cm(2") wide.



WK-6 WEIGHT HOLDER

- Material: 5052 Aluminum + Black Coating
- Weight capacity: 2kg(4.4lb) per plate.
- Dimension: 5.6cmx7.6cmx0.25cm (2.2"x3"x0.1")





WK WEBBING KEEPER



- Webbing keeper with serrated teeth. It is durable enough to be used as weight keeper. The slots are 5cm(2") wide.

WK-4 WEBBING KEEPER

- WK-4 is designed to stop the webbing from moving. Each has 2 x 5 cm (2") wide slots. It has the strength to hold the harness and a heavy equipment load.

DIMENSION	2.1cm x 6cm(0.83" x 2.3")



WK-5 WEBBING KEEPER

- 304 grade stainless webbing

DIMENSION	4.57 cm x 6.6 cm (1.8" x 2.6")



JL-5/L DOUBLE DUAL DRIFT HOOK




- Stainless steel hook and snap.
- Overall length: 150cm(5')

JL-6 COILED DRIFT HOOK



- Stainless steel wire-reinforced coil drift hook with high grade stainless steel hook and clip
- Max. Load: 80KG (176lb)
- Overall length: 9.5cm (3.7")
- Length in full extension: 1.5M (4'11")

JL-7 LARGE DRIFT HOOK



- Large size hook
- 304 stainless steel hook and snap
- Overall length: 150cm (5")



SP-6A

PU coil lanyard clip.



SP7A-1

Stainless steel wire-reinforced coil lanyard with quick release buckle and stainless steel clip



SP-26A RETRACTOR

- Overall Length: 18.2cm(7.15")
- Maximum extension: 109.2 cm(43")



SP-8A

Stainless steel wire-reinforced coil lanyard with quick release buckle and stainless steel clip



KC01-A



- Tank shaped key ring.
- O-ring hook included:

Ø11mm x 2.4mm x 1
Ø14mm x 2.4mm x 3

KC13 SAFARI KEY CHAIN

DIMENSION	10.5cm x 2.7cm x 0.9cm (4.1" x 1" x 0.1")



SGT-2 SILICONE GREASE

- 60g(2.12oz) silicone grease.
- Large volume for shop use.



SGT-4 SILICONE GREASE

- 15g (0.53oz) silicone grease tube



SGT-5 SILICONE SPRAY

- 250ml(8.5oz)
- For lubrication on O-rings or any other product



SP-31A

- S.S. double-end clips.
- Overall length: 10cm(3.94")
- Each gate is rounded for safe under-water operation



SP-32A

- Overall length: 10cm(3.94")



SP-33A

- Overall length: 7cm(2.8")



SP-34A

- 5cm(2") stainless steel quick link provides convenient semipermanent connection
- 5mm wire thickness
- All sharp edges removed from the manufacturing process



SP-35A

- 4cm(1.6") stainless steel quick link.
- 4mm wire thickness.
- All sharp edges removed from the manufacturing process.



SP-37A

- 316 grade stainless steel clip.
- Overall length : 8.5cm(3.3")



SP-38A

- 316 grade stainless steel clip.
- Overall length : 8cm(3.1")



SP-40A DOUBLE-END CLIP

- Stainless steel double-end clip
- Overall length: 10cm (3.94")





SP-41A
STAINLESS STEEL DOUBLE-END CLIP

- Corrosion-resistant stainless steel construction.
- Total length: 10.8cm (4.25")are 5cm(2") wide.



SP-42A
STAINLESS STEEL CLIP

- Overall length: 11cm (4.3")



DR-1 BENT D-RING



- Material: 304 stainless steel
- Thickness: Ø5mm (0.2")
- Bent angle: 25˚
- TIG welded D-rings for superior strength.

DR-2 FLAT D-RING



- Material: 304 stainless steel
- Thickness: Ø5mm (0.2")
- TIG welded D-rings for superior strength.

DR-4 DR-5 COMMERCIAL D-RING



- Material: 304 stainless steel
- TIG welded D-rings for superior strength.

DIMENSION	
DR-4	Ø6mm(Ø0.23")
DR-5	Ø8mm(Ø0.31")

DR-8 COMBINATION OF WEBBING KEEPER AND D-RING



- Combination of webbing keeper and D-ring.
- Material: 304 Stainless Steel

DIMENSION
10.5cm x 3.8cm (4.13" x 1.5")


SD-1



Lanyard with silicone tube sleeve and stopper for convenient usage

H-1 MULTI-PURPOSE HANGER

- With detachable side T-slots and frame, it's easy to carry and store.
- A versatile hanger with three hooks and two wave bars, suitable for hanging BCDs, regulators (both YOKE and DIN), wetsuits, gloves, and other gear.




H-3 WETSUIT HANGER

- Flexible arms which can be shaped for suit hanging.
- Padded contact surface to prevent creasing and marking while hanging.
- Hook can be disassembled to save storage space.



H-8 WETSUIT HANGER

- Colors: B, Y



H-9 MULTI-PURPOSE HANGER

- A versatile hanger which can be used to hang equipment such as regulator, gloves, BCD and boots.
- Colors: B, Y



H-6 MULTI-PURPOSE HANGER

- A versatile hanger which can be used to hang equipment such as BCD, regulator, gloves and boots.



H-7 DRY-SUIT HANGER

- 2-in-1 hanger for post-dive dry suit and regulator drying
- Built-in dummy cylinder valve for easy regulator attachment (DIN/ Yoke compatible).



NC1-SET
NEOPRENE SUIT REPAIR GLUE SET

- 30ml x 2
- Comes in 1 transparent glue and 1 black glue



NC1
NEOPRENE SUIT REPAIR GLUE

- 30ml
- Comes in 1 transparent glue and 1 black glue



MS-11

- Generic silicone mask strap.
- Good for IST masks M-9, M-11, M-12, M-30, M-50, M-55, M-59, M-71, M-80, M-100, MJ-111, MP-111
- Available in clear and black silicone.



MS-25

- Silicone mask strap.
- Specially designed for the following IST masks: M-45, M-75, M-88, M-200, MP-110, MP-201, MP-203, MP-210, MJ-112, MP-214, and M75-1.
- Available in clear, black, white, and MB.



MS-14

- Mask strap for M-37 Pegasus mask.
- Available in black silicone and rubber.



MS-80

- Silicone mask strap
- Specially designed for the ProEar masks.
- Available in clear and black silicone.



MS-16



- 3mm Neoprene + Velcro mask strap for ProEar masks.
- Neoprene Length: 17cm (16.7")



MS-20



- Comfortable 2 mm neoprene mask strap cover.
- Length: 22cm (8.6")



AF-2/DOZ ANTI-FOG SPRAY





- Non-toxic formula.
- Anti-fog protection for multiple dives.
- Long lasting.
- Anti-fog spray.
- Comes in 30ml(1oz) bottles.

MB2 PLASTIC MASK BOX



MB8 LARGER PLASTIC MASK BOX



P1



Complete purge valve and housing for SN-18.

P1-1



- Silicone exhaust valve with Ø2.2cm (Ø0.87").
- For the following snorkels: SN-18, SN-60.

P1-2



- Silicone exhaust valve with Ø1.9cm(Ø0.75").
- For snorkels: SN104, SN-204, SNK-8, SNK-16, SNK-205.
- Also for the following mask: M-11 & M-12.

SH-60



- Snorkel holder for SN-60.

SH-1/S



- Available in clear, black silicone
- Can be used with tube up to 2.9cm(1.14") in outside diameter.

COLOR	○ ●

FS-2



- Rubber fin strap for F1 fin.

FS-7



- Rubber fin strap for FB-7.

FSK-31



- Fin strap for FK-30, FK-31, FK-09

FB7-SET

Fin strap set for FP01, FP-02



FB-7

Quick release fin buckle for FP01, FP-02



FBK31-SET

Fin strap set for FK-30, FK-31, FK-09



FBK-31

Quick release fin buckle for FK-30, FK-31, FK-09



FB-1



Stainless steel fin buckle for F1 fin

FG-1



Rubber fin grips

SIZES	S, M, L

FS-10



FS-11



FS-12



Coil Fin Strap

Comes in various buckle designs to suit different types of fins.
Each style has 5 lengths for comfortable and secure fitting (approximate spring length):

FS-10 Spring fin strap with complete IST FB-7 buckles
FS-11 Buckles FS-11 Spring fin strap with metal "C" clip for F-1
FS-12 Spring fin strap with stainless steel clip-on buckles

	S	M	L	XL	XXL
LENGTH (cm)	18.5	20.4	22	23.8	27.3
LENGTH (in)	7.3	8.0	8.7	9.4	10.7

JT-30H / JT-40H

- Stainless steel plate + Basic harness



Technical BCD Components

JT-30 Single bladder air cell



JT-40 Single bladder air cell



HB-1
Basic harness & buckle set.



BP-3 Stainless steel back plate.

BP-4 Aluminum back plate.



JT-31H / JT-41H

- Aluminum steel plate + Basic harness



HB-3
Crotch strap set.



TAD-1
Single tank adaptor



BP-2/I X2
Tank belt



HD-30H
BCD Handle



HB-4
Back plate pad & pouch.



HB4-SCREW SET
Plate pad hardware.



JT-WP7/SV X2
Tech BCD weight pockets.



JT-30D / JT-40D

- Stainless steel plate + Deluxe harness



JT-31D / JT-41D

- Aluminum steel plate + Deluxe harness



Technical BCD Components

JT-30
Single bladder air cell



JT-40
Single bladder air cell



HB-2
Deluxe harness & buckle set.



BP-3 Stainless steel back plate.

BP-4 Aluminum back plate.



HB-3
Crotch strap set.



TAD-1
Single tank adaptor



BP-2/I X2
Tank belt



HD-30H
BCD Handle



HB-4
Back plate pad & pouch.



HB4-SCREW SET
Plate pad hardware.



JT-WP7/SV X2
Tech BCD weight pockets.



JT-30 SINGLE BLADDER SINGLE-TANK AIR CELL (30LBF)
JT-40 SINGLE BLADDER SINGLE-TANK AIR CELL (40LBF)

It is designed for single tank use. The air cell is extremely streamlined and its frontal width (as the diver assumes swimming position) is barely wider than an average
person's shoulders. Low pressure BC hose included.

- Style: Circular doughnut
- Buoyancy capacity: 30lbf (13.6kgf) / 40lbf (18.1kgf)
- Bladder material: 420D TPU coated nylon
- Shell material: 1680D PU coated ballistic nylon
- Inflator length: 16" (40.6 cm) (tech elbow)
- No. of automatic pressure relieve valve / pull dump: 1 (at left waist side)
- Mounting grommets distance (C-C): 11"(27.9 cm)
- Low pressure BC hose included
- For single back mounted tank only (100cuft / 15L internal volume)

Colors: JT-30: BK, B, R
JT-40: BK

CE APPROVED



BK



B



R

Backpacks

Dolphin Tech also offers individual plate and harness backpack combos. Depending on your need, there are 4 models to choose from.

Basic Harness Backpack

JTA-1

Components include:
- Basic harness (HB-1)
- Aluminum plate (BP-4)
- Crotch strap (HB-3)



JTS-1

Components include:
- Basic harness (HB-1)
- Stainless plate (BP-3)
- Crotch strap (HB-3)

Deluxe Harness Backpack

JTA-2

Components include:
- Deluxe harness (HB-2)
- Aluminum plate (BP-4)
- Crotch strap (HB-3)



JTS-2

Components include:
- Deluxe harness (HB-2)
- Stainless plate (BP-3)
- Crotch strap (HB-3)

HB-1 HB1-L BASIC HARNESS

- Material: 5cm(2") wide, 2.5mm thick nylon webbing
- Overall length: 320cm(126") with center grommet.
- HB1-L : 355.6cm(140") in overall length



HB-2 HB2-L DELUXE HARNESS

- 5cm(2") wide, 2.5mm thick nylon webbing
- Anatomic shoulder pads and waist cushions
- Overall length: 320cm(126") (maximum)
- HB2-L : 355.6 cm(140") in overall length



HBC-1 TECHNICAL BCD CHEST STRAP



- Quick release BCD chest strap.
- Suitable for webbing on the backpack up to 2.5cm(1").
- Strap is adjustable and holds BCD in place.
- Total length: 40cm (15.7").



HB-3 CROTCH STRAP



The soft crotch strap further secures and stabilities your scuba rig to your torso without causing any discomfort.

- Soft 5cm(2") wide, 1.2mm thick nylon webbing
- Pre-fixed webbing keeper and flat stainless D-ring

HBH-1 HARNESS HOSE HOLDER

The holder conveniently keeps the BCD inflator hose close to the diver's torso when used with the Basic Harness.



HBW-2 WAIST PAD

Comfortable waist pads with webbing keepers and belt loops to securely fasten them to the Deluxe Harness.

- Foam waist padding.
- Available in 2 sizes: S/M, L/XL

	LENGTH
S/M	24cm (9.5')
L/XL	28cm (11')



BP-3 STAINLESS STEEL BACK PLATE
BP-4 ALUMINUM BACK PLATE

BP-3


- Material: 304 stainless steel
- Weight: 2.25kg(4.96lb)
- Mounting hole distance: 11"(27.9cm)
- Strong, rust-resistant
- Forms a part of the weighting system
- Pre-bent anatomical lower corners

BP-4

- Material: 6061 aluminum
- Weight: 0.8kg(1.76lb)
- Mounting hole distance: 11"(27.9cm)
- Light-weight, excellent for traveling



The back plate is the heart of a technical buoyancy compensator. It provides the vital connection between a diver and his scuba. Individually press-formed and all edges de-burred, DOLPHIN TECH back plates have 5cm(2") slots for the harness and crotch strap as well as 10 perimeter holes for attaching additional equipment such as stage bottles and canister torch. There are 3 sets of tank mounting holes along the plate's center line, giving the diving easier option to fine tune tank to torso position.




Each set is 2.5cm(1") apart and the distance between the holes of the same set is at industry standard 27.9cm(11") apart.

SBR-2 (FOR TANK 7″-7.25″)
SBR2-1 (FOR TANK 5.25″)
STAGE BOTTLE RIGGINGS

- Comes with stainless steel clip.





TAD-1
LOW PROFILE SINGLE TANK ADAPTER

- Material: 304 stainless steel
- Weight (incl. mounting hardware): 0.4kg (0.88lb)
- Mounting hole distance: 11″(27.9cm)



Made from strong and corrosion resistant stainless steel, DOLPHIN TECH single tank adaptor is essential when attaching a scuba cylinder to your tech BCD. It is lowprofile but creates enough space for a fully inflated air cell to go between the cylinder and the plate. The square mounting holes assist BCD assembling. Attachment hardware comes with 2 washers, winged nuts and split washers, and screws.

BP3H
TWIN TANK BAND SET

- Material: 304 stainless steel
- Band height: 5cm(2″)
- Band thickness: 1.5mm
- Weight (incl. mounting hardware): 1.57kg(3.46lb)
- Compatible with: Twin Ø184mm (7.25″) cylinders

The recommended manifold clearance (valves' center to center distance) is 215mm ± 3mm. Each twin band set consists of 2 bands and stainless steel connecting hardware – 2 bolts (with welded-on end nut), 2 aircraft nuts, 2 winged nuts, 2 split washers and 8 washers and 2 screws(5.9″).



TSP-2 THIGH STORAGE POUCH



- Material: wear-resistant 1680D PU-coated nylon, elastic thigh straps with quick release buckles, No.10 rust-proof YKK zip.

DIMENSION	25 cm x 15 cm x 6 cm (9.8" x 5.9" x 2.4")

WK-6 MULTI-FUNCTIONAL WEIGHT PLATE





- Material: 5052 Aluminum + Black Coating
- Weight capacity: 2kg (4.4lb) per plate.
- Dimension: 5.6cmx7.6cmx0.25cm (2.2"x3"x0.1")

Tech BCD Weight Pocket

These DOLPHIN TECH weight pouches provide a secure place on the tech BCD for the weight. Once mounted, they will not interfere with any movement while diving and the simple, fail-safe quick release mechanism works every time.

JT-WP8

- Non-diver releasable trim weight pouches for improved weight distribution and balance.
- Heavy duty 1680D nylon material will prolong usage.
- Open corners for drainage.
- Store extra weight on your belt while keeping it out of the way.

Weight capacity	2kg(4.4lb)





JT-WP5

Outer pouch material	Heavy duty 1680D nylon
Inner pouch material	420D nylon
Weight capacity	4kg(8.8lb) per pocket



JT-WP4/SV
JT-WP7/SV



Outer pouch material	Heavy duty 1680D nylon
Inner pouch material	420D nylon
Weight capacity	4kg(8.8lb) per pocket

Outer pouch material	Heavy duty 1680D nylon
Inner pouch material	420D nylon
Weight capacity	7kg(15.4lb) per pocket

IF-SMB/N K INFLATOR

- Length 13"(33cm), 16"(40.6cm) , 19"(48.3cm) or 22"(55.9cm)
- Connector style: Tech K style



HD-30H BCD HANDLE

This convenient feature makes attaching your tech BCD to the scuba cylinder an easy task and gives a carrying point for general handling of the BCD.



BP2/I TANK BAND



The strong, lightweight cam buckle can withstand rigorous use.Supple 2"(5 cm) webbing makes threading an easy task. Fits tanks with diameter from 175mm(6.9") to 203mm(8")

HB4-SCREW SCREW SET



- Material: 304 stainless steel
- Each set includes: Screw, washer and book style nut. These hardware are used to attach the plate pouch to the back plate. Each pack includes 8 sets.

HB-4 PLATE POUCH



The pouch utilizes the back plate's recess to provide a convenient and streamlined storage space for your SMB which will be in a handy position when deployment is needed.

DR-1 BENT D-RING



- Material: 304 stainless steel
- Thickness: Ø5mm (0.2")
- Bent angle: 25˚
  TIG welded D-rings for superior strength.

DR-2 FLAT D-RING



- Material: 304 stainless steel
- Thickness: Ø5mm (0.2")
  TIG welded D-rings for superior strength.

DR-4 DR-5
COMMERCIAL DIVING HARNESS




- Material: 304 stainless steel
  TIG welded D-rings for superior strength.

DIMENSION	
DR-4	Ø6mm(Ø0.23")
DR-5	Ø8mm(Ø0.31")

BB-3 CAM BELT BUCKLE

- 304 S.S cam lock belt buckle







WK-4 WEBBING KEEPER



WK-4 is designed to stop the webbing from moving. Each has 2 x 5 cm (2") wide slots. It has the strength to hold the harness and a heavy equipment load.

DIMENSION
2.1cm x 6cm (0.83" x 2.3")

WK-5 WEBBING KEEPER



304 Stainless Steel webbing keeper.

DIMENSION
4.57 cm x 6.6 cm (1.8" x 2.6")


DR-8 MULTI-PURPOSE D-RING



- Combination of webbing keeper and D-ring.
- Material: 304 Stainless Steel

DIMENSION
10.5cm x 3.8cm (4.13" x 1.5")

Tank Valves



1. VLV-LT LEFT K VALVE 2. VLV-RT RIGHT K VALVE



- Material: Chrome plated brass
- Valve knob material: Thermal plastic
- Available in 200 or 300 bar version
- Tank neck valve thread: 3/4" – 14NSP or M25 x 2
- DIN female thread: G5/8 or M25
- Burst disk rupture pressure @ 310 bar (4500psi)
- The 200 bar version comes with YK-04 DIN to Yoke tank valve converter
- The burst discs are protected in a recess at the back of the valves.

3. VLV-PLT LEFT K VALVE PLUG 3. VLV-PRT RIGHT K VALVE PLUG

- Attaches to: Left K valve (left-hand thread)



- Attaches to: Left K valve (right-hand thread)



- Material: Chrome plated brass
- These plugs are needed when tank valves are to be used independently. Each has 2 o-rings for extra secure sealing.

4. VLV-HLT LEFT H VALVE 4. VLV-HRT RIGHT H VALVE



Attaches to
Left K valve
(right-hand thread)




Attaches to
Right K valve
(left-hand thread)

- Material: Chrome plated brass
- Valve knob material: high impact plastic
- Available in 200 bar outlet version
- DIN female thread: G5/8

The H valve allows the diver to use 2 independent sets of regulators on a single tank, providing redundancy requirement technical divers need. Comes with YK-04 DIN to Yoke tank valve converter

5. VLV-TWN/200
200 BAR MANIFOLD



This item consists of a set of K valves (left and right) and the isolation cross bar needed for a twin tank setup. Available in 200 bar DIN version with YK-04 DIN to Yoke valve converter or 300 bar DIN only version.

Cross Bar Length
180mm(7.09")
Centre to Centre Spacing
214mm ± 3mm
Compatible with
Twin Ø184mm(7.25") or Ø203mm(8")

5. VLV-TWN/300
300 BAR MANIFOLD

This item consists of a set of K valves (left and right) and the isolation cross bar needed for a twin tank setup. Available in 200 bar DIN version with YK-04 DIN to Yoke valve converter or 300 bar DIN only version.

Cross Bar Length
180mm(7.09")
Centre to Centre Spacing
214mm ± 3mm
Compatible with
Twin Ø184mm(7.25") or Ø203mm(8")

6. VLV-MNF
ISOLATION CROSS BAR



Shock absorbing, low friction valve knob and double o-rings for redundancy and better shock absorption.

Cross Bar Length
180mm(7.09")
Valve Knob Material
Thermal plastic
Material
Chrome plated brass

TK-1 TANK KNOB

- Material: Rubber
- Available in black or green to signify Nitrox / Oxygen tanks.



BK GN

YK-04 DIN TO YOKE 1ST STAGE CONVERTER

- DIN to Yoke tank valve converter for tanks with 200 bar DIN outlet (G 5/8) only




VP-3
YOKE VALVE DUST COVER



BK B

VP-4
DIN VALVE PLASTIC CAP



DC-2P
1ST STAGE PLASTIC DIN DUST COVER



HHBP-I COMMERCIAL DIVING BELL HARNESS



Specification

- Plate thickness: 8.2mm / 0.32"
- Plate reinforcement: Nylon mesh (2 layers)
- Plate buoyancy: Negative
- Dry weight (rubber plate): 750g / 1.65lb
- Dry weight (complete): 2.4kg / 5.3lb (Size: L)
- Webbing: 3.5mm thick, 2 inch wide nylon
- Rivet: Stainless steel (36)
- Hardware: Stainless steel

SIZES	XS, S, M, L, XL

HHBP-II
COMMERCIAL DIVING BELL HARNESS



- Commercial diving bell harness with rubber back plate and cortch straps.
- Sizes: XS, S, M, L, XL

HHBP-III
COMMERCIAL DIVING BELL HARNESS



- Easy to use.
- Commercial diving bell harness with rubber back plate and crotch straps.
- Marseille style buckles on crotch straps provide convenience and easy to use.

Specification

- Plate thickness: 8.2mm / 0.32"
- Plate reinforcement: Nylon mesh (2 layers)
- Plate buoyancy: Negative
- Dry weight (rubber plate): 750g / 1.65 lb
- Webbing: 3.5mm thick, 2 inch wide nylon
- Rivet: Stainless steel (42)
- Grommets: Brass(20)

SIZES	XS, S, M, L, XL

HHBP-VII
COMMERCIAL DIVING BELL HARNESS



- Back plate: IST BP-3 stainless steel back plate
- Webbing: 3.5mm thick, 2 inch wide nylon
- Rivet: Stainless steel (50)
- Hardware: Stainless steel

SIZES	XS, S, M, L, XL

HHBP-V
COMMERCIAL DIVING BELL HARNESS



- Webbing: 3.5mm thick, 2 inch wide nylon
- Rivet: Stainless steel (32)
- Hardware: Stainless steel

SIZES	XS, S, M, L, XL

HHWB-W05/S
5 LB LEAD WEIGHT SET

HHWB-W08/S
8 LB LEAD WEIGHT SET

- Design for IST HHWB commercial diving weight belt.
- Comes with stainless steel screw, nut and plate sets.



HHWB-SS

- Nylon shoulder straps for HHWB commercial diving weight belt.
- Comes with 4 stainless steel hangers.



HHWB-25
HHWB-40

- Commercial diving weight belt.
- Comes with 5 x 5 lbs or 5 x 8 lbs lead weight.
- High grade rubber weight belt with 2 added layers of tear- resistant nylon mesh as reinforcement.



HHWB-W05
5 LB LEAD WEIGHT

HHWB-W08
8 LB LEAD WEIGHT

- 5 lbs or 8 lbs lead weight for HHWB commercial diving weight belt.



HHWB-25/S HHWB-40/S



- Commercial diving weight belt with adjustable nylon shoulder straps.
- Comes with 5 x 5 lbs or 5 x 8 lbs lead weight.
- High grade rubber weight belt with 2 added layers of tear-resistant nylon mesh as reinforcement.

HHWB-BB



- Stainless steel buckle set for HHWB weight belt.
- Comes with 4 x 5/8" screws (HHWB-SCREW1) and 2 x stainless steel plates.

BP-5 RUBBER PLATE



Each waist strap comes with 2 x 6mm hook up D-rings, secured to the lower edge and a large 8mm emergency hook up D-ring is riveted to the top of the center strap, located in between the shoulder straps.





DR-5



DR-4


WK-5

MV-1 VELCRO TAPE

Velcro tape helps you to fix the extra webbings.







HUKA

HUKA diving can be compared to a form of advanced snorkeling; it is an excellent step between snorkeling and scuba diving, with all the fun of both. There is lots of potential in HUKA. Many people are more inclined to give it a try – there are no classes or certification needed, it's perceived as less "dangerous" and requires less gear. There is no Master Diver needed, just a HUKA guide and it's also safer with a 20 ft. deep maximum. Moreover, the minimum age for HUKA diving is only 8 years old, and parents are much more inclined to having their kids partake in a safe HUKA dive! Compared to scuba diving, HUKA diving is highly accessible.



HUKA-FD FLOATATION DEVICE



Let the canoe carry heavy tank for you!

HUKA-VSN0150
HAVE FUN WITH SAFETY

HAVE FUN WITH SAFTY

Special design to keep the air stick with you!

Please check HUKA video

HUKA-1 INCLUDES 1 ~ 11, 12-1
HUKA-2 INCLUDES 1 ~ 11, 12-2

1.	Floatation Device w/ Flag & Inflator 125 x 85 x 20 cm (48.5"x 34"x 8")	x 1 pc
2.	Huka-R8	x 1 pc
3.	Huka-O60	x 2 pcs
4.	Huka-GP15 (w/o hose)	x 1 pc
5.	Huka-LP/5ft (1.5M)	x 2 pcs
6.	Huka-HP/5ft (1.5M)	x 1 pc
7.	ON1-L/NY	x 2 pcs

8.	JT-WP8	x 8 pcs
9.	WB-10	x 2 pcs
10.	HUKA-VSN0150 Size: S, M, L, XL	x 2 pcs
11.	LP-BC	x 1 pc
12-1	Huka-LP/12ft (3.6M) for HUKA-1	x 2 pcs
12-2	Huka-LP/22ft (6.6M) for HUKA-2	x 2 pcs

BE-206 SHORT SLEEVE RASH GUARD



GY/B



W



Rear View

- UV protection Rash Guard in short sleeve
- Cool Max fabric bring comfortable wearing
- Flat-lock stitching to prevent chafing
- Unisex design, big range sizes available

SIZES	XS, S, M, L, XL, XXL

BE-207 LONG SLEEVE RASH GUARD



GY/B



W



Rear View

- UV protection Rash Guard in Long sleeve
- Cool Max fabric bring comfortable wearing
- Flat-lock stitching to prevent chafing
- Unisex design, big range sizes available

SIZES	XS, S, M, L, XL, XXL

BE-203 T-SHIRT



BK



W



Rear View

- Made with cotton.

SIZES	XS, S, M, L, XL, XXL

CV-01 2-IN-1 WIND COAT



- Lightweight wind breaker coat with attachable 2mm neoprene vest
- Excellent for in-between dives on boat
- Vest: 2mm ultra high-grade neoprene with front zip
- Vest: Super-Stretch material at waist
- Coat: made from super lightweight water repellent fabric which can be worn individually or with vest attached

SIZES	XS, S, M, L, XL, XXL, XXXL

CAP-16 IST SUN HAT



Changing different style for multi-situation

- Multi function Outdoor Sun Hat.
- **Breathable fabric with wide brim.**
- **Quick dry** and Waterproof materials for diving without hassle.



BK



CAMO



KH




W

CAP-9 FISHING CAP




Adult cap with removable sun blocking screen at the back.

R-200 EXPLODED VIEW




ITEM	PART NO.	DESCRIPTION
1	MR200-01	RECEIVER HP
2	MR200-02	O-RING
3	MR200-03	SPRING HP SEAT
4	MR200-04	BACKUP RING
5	MR200-05	O-RING VITON 90
6	MR200-06	HP SEAT BALANCED
7	MR200-07	SEAT-HP
8	MR200-08	O-RING
9	MR200-09	BODY DIAPHRAGM
10	MR200-10	PIN TRANSFER DIAPHRAGM
11	MR200-11	DIAPHRAGM 1.51
12	MR200-12	SPRING PAD BALANCED
13	MR200-13	END CAP DIAPHRAGM
14	MR200-14	O-RING
15	MR200-15	SPRING DIAPHRAGM
16	MR200-16	WASHER SPRING
17	MR200-17	ADJUSTMENT CAP
18	MR200-18	PISTON-ENVIRONMENTAL
19	MR200-19	RING-ENVIRONMENTAL
20	MR200-20	DIAPHRAGM-ENVIRONMENTAL
21	MR200-21	END CAP-ENVIRONMENTAL
22	MR200-22	DUST CAP
23	MR200-23	YOKE
24	MR200-24	KNOB YOKE
26	MR200-26	RETAINER YOKE
27	MR200-27	O-RING
28	MR200-28	FILTER YOKE
29	MR200-29	RETAINER RING INT.50
30	MR200-30	PORT PLUG LP
31	MR200-31	O-RING
32	MR200-32	PORT PLUG HP
33	MR200-33	O-RING
34	MR200-34	COVER-END CAP

R200-DIN EXPLODED VIEW



ITEM	PART NO.	DESCRIPTION
1	MR200-01	RECEIVER HP
2	MR200-02	O-RING
3	MR200-03	SPRING HP SEAT
4	MR200-04	BACKUP RING
5	MR200-05	O-RING VITON 90
6	MR200-06	HP SEAT BALANCED
7	MR200-07	SEAT- HP
8	MR200-08	O-RING
9	MR200-09	BODY DIAPHRAGM
10	MR200-10	PIN TRANSFER DIAPHRAGM
11	MR200-11	DIAPHRAGM 1.51
12	MR200-12	SPRING PAD BALANCED
13	MR200-13	END CAP DIAPHRAGM
14	MR200-14	O-RING
15	MR200-15	SPRING DIAPHRAGM
16	MR200-16	WASHER SPRING
17	MR200-17	ADJUSTMENT CAP
18	MR200-18	PISTON - ENVIRONMENTAL
19	MR200-19	RING - ENVIRONMENTAL
20	MR200-20	DIAPHRAGM - ENVIRONMENTAL
21	MR200-21	END CAP - ENVIRONMENTAL
D1	MR200-D1	DUST CAP
D2	MR200-D2	DIN WHEEL
D3	MR200-D3	HOUSING DIN
D4	MR200-D4	RETAINER DIN
D5	MR200-D5	O-RING
D6	MR200-D6	FILTER DIN
D7	MR200-D7	O-RING
D8	MR200-D8	O-RING - 2 - 112 DISOGRIN
30	MR200-30	PORT PLUG LP
31	MR200-31	O-RING
32	MR200-32	PORT PLUG HP
33	MR200-33	O-RING
34	MR200-34	COVER - END CAP


O-300 EXPLODED VIEW



ITEM	PART NO.	DESCRIPTION
1	O30001	HOUSING - REGULATOR
2	O30002	RATCHET - DETENT
3	O30003	NUT - VALVE HOUSING
4	O30004	EXHAUST VALVE
5	O30005	EXHAUST COVER
7	O30007	VALVE HOUSING AND INSERT
8	O30008	ADJUSTMENT TUBE
9	O30009	NUT - ADJUSTMENT TUBE
10	O30010	WASHER - THRUST
11	O30011	ADJUSTMENT SHAFT
12	O30012	POPPET
13	O30013	POPPET SEAT
14	O30014	O-RING
15	O30015	O-RING, .091 X .036
16	O30016	O-RING, .070 X .047
17	O30017	BALANCE SHAFT
18	O30018	POPPET SPRING
19	O30019	SPRING FOLLOWER
20	O30020	ORIFICE SEAT


ITEM	PART NO.	DESCRIPTION
21	O30021	O-RING
22	O30022	O-RING
23	O30023	VENTURI TUBE SWITCH
24	O30024	O-RING
25	O30025	LEVER
26	O30026	DIAPHRAGM AND DISK ASSEMBLY
27	O30027	DIAPHRAGM WASHER
28	O30028	TOP COVER RING
29	O30029	ADJUSTMENT KNOB
30	O30030	SCREW - KNOB
31	O30031	DEFLECTOR (COMES WITH #1)
34	O30034	O-RING
35	O30035	O-RING
36	O30036	DIAPHRAGM RETAINING RING
37	O30037-BK	PURGE COVER
	O30037-NY	
38	O30038	MOUTHPIECE
39	O30039	TY-STRAP

R7 YOKE EXPLODED VIEW



No.	Item No.	Description
1	YK-01	Yoke knob
2	MR7-02	Yoke
3	MR7-03	Styling cup
4	MR7-04	Dust cap
5	MR7-05	Gas inlet / Yoke retaining nut
6	MR7-06	Cone mesh filter
7	MR7-07	NBR O-ring (AS568-011 N90)
8	MR7-08	Main housing
9	MR7-09	High-pressure seat
10	MR7-10	NBR O-ring (AS568-008 N70)
11	MR7-11	Pressure adjustment shim - Thin
12	MR7-12	Main spring
13	MR7-13	Pressure adjustment shim - thick
14	MR7-14	Piston
15	MR7-15	NBR O-ring (AS568-023 N70)
16	MR7-16	Ambient pressure chamber
17	MR7-17	LP port plug
18	MR7-18	LP port plug O-ring (AS568-011 N70)
19	MR7-19	HP port plug
20	MR7-20	HP port plug O-ring (AS568-012 N90)


R8 EXPLODED VIEW



No.	Item No.	Description
1	YK01	Yoke knob
2	MR8-02	Yoke (Max. 232 BAR)
3	MR8-03	Dust cap
4	MR8-04	Saddle
5	MR8-05	Retainer Ring
6	MR8-06	Mesh filter
7	MR8-07	NBR O-RING 9.0X1.5 N90
8	MR8-08	Yoke Retainer
9	MR8-09	NBR O-ring AS568-011 N90
10	MR8-10	Main housing
11	MR8-11	Diaphragm Lifter
12	MR8-12	Diaphragm
13	MR8-13	Diaphragm washer
14	MR8-14	Spring seat
15	MR8-15	Spring washer
16	MR8-16	Main spring

No.	Item No.	Description
17	MR8-17	Diaphragm cap
18	MR8-18	Adjust Screw
19	MR8-19	NBR O-ring AS568-024 N70
20	MR8-20	Turret
21	MR8-21	H. P. Seat
22	MR8-22	Valve Spring
23	MR8-23	NBR O-ring AS568-006 N90
24	MR8-24	NBR O-ring AS568-013 N90
25	MR8-25	Thrust washer
26	MR8-26	NBR O-ring AS568-019 N70
27	MR8-27	Turret bolt
28	MR8-28	NBR O-ring AS568-012 N90
29	MR8-29	H. P. plug
30	MR8-30	NBR O-ring AS568-011 N70
31	MR8-31	L. P. plug


R8/5-N EXPLODED VIEW



No.	Item No.	Description
1	YK01	Yoke Knob
2	MR8-02	Yoke (Max.232 BAR)
3	MR8-03	Dust Cap
4	MR8-04	Saddle
5	MR8-05	Retainer Ring
6	MR8-06	Mesh Filter
7	MR8-07	NBR O-ring 9.0 X 1.5 N90
8	MR8-08	Yoke Retainer
9	MR8-09	NBR O-ring AS568-011 N90
10	MR8-10	Main Housing
11	MR8-11	Diaphragm Lifter
12	MR8-12	Diaphragm
13	MR8-13	Diaphragm Washer
14	MR8-14	Spring seat
15	MR8-15	Spring Washer
16	MR8-16	Main Spring

No.	Item No.	Description
17	MR8-17	Diaphragm Cap
18	MR8-18	Adjust Screw
19	MR8-19	NBR O-ring AS568-024 N70
20	MR8-20	Turret
21	MR8-21	H.P. Seat
22	MR8-22	Valve Spring
23	MR8-23	NBR O-ring AS568-006 N90
24	MR8-24	NBR O-ring AS568-013 N90
25	MR8-25	Thrust Washer
26	MR8-26	NBR O-ring AS568-019 N90
27/5	MR8-27/5	Turret Bolt with 5th Port
28	MR8-28	NBR O-ring AS568-012 N90
29	MR8-29	H.P. Plug
30	MR8-30	NBR O-ring AS568-011 N90
31	MR8-31	L.P. Plug
32	MR8-32	Transmittor
33	MR8-33	Silicone Disk
34	MR8-34	EN Cap


R8/N-DIN/5 EXPLODED VIEW



No.	Item No.	Description
D1	MR8-D1	NBR O-ring AS568-112 N90
D2	MR8-D2	DIN Retainer
24	MR8-24	NBR O-ring AS568-013 N90
D3	MR8-D3	DIN Filter
D4	MR8-D4	NBR O-ring S-8 N90
D5	MR8-D5	DIN Wheel
D6	MR8-D6	DIN Housing
D7	MR8-D7	NBR O-ring 9.0 X 1.5 N90
3	MR8-03	Dust Cap
4	MR8-04	Saddle
10	MR8-10	Main Housing
11	MR8-11	Diaphragm Lifter
12	MR8-12	Diaphragm
13	MR8-13	Diaphragm Washer
14	MR8-14	Spring Seat
15	MR8-15	Spring Washer
16	MR8-16	Main Spring
17N	MR8-17N	Diaphragm Clamp (Ice) - replace MR8-17

No.	Item No.	Description
18	MR8-18	Adjust Screw
19	MR8-19	NBR O-ring AS568-024 N90
20	MR8-20	Turret
21	MR8-21	H.P. Seat
22	MR8-22	Valve Spring
23	MR8-23	NBR O-ring AS568-006 N90
24	MR8-24	NBR O-ring AS568-013 N90
25	MR8-25	Thrust Washer
26	MR8-26	NBR O-ring AS568-019 N90
27/5	MR8-27/5	Turret Bolt with 5th Port
28	MR8-28	NBR O-ring AS568-012 N90
29	MR8-29	H.P. Plug
30	MR8-30	NBR O-ring AS568-011 N90
31	MR8-31	L.P. Plug
32	MR8-32	Transmittor
33	MR8-33	Silicone Disk
34	MR8-34	EN Cap


O60 EXPLODED VIEW



No.	Item No.	Description
1	O6001	Main Housing
2	-	Zip Tie
3	MP5BS	Silicone Mouthpiece
4	O6004	Exhaust Valve
5	O6005	Exhaust Tee
6	O6006	O-ring
7	O6007	Spacer
8	O6008	Nut
9	O6009	Orifice
10	O6010	O-ring
11	O6011	Diaphragm Washer
17	O6017	Aluminium Ring
18	O6018	O-ring
19	O6019	Pre-Dive / Dive Control
20	O6020	Tube

No.	Item No.	Description
21	O6021	Pin
22	O6022	L.P. Seat
23	O6023	Shuttle
24	O6024	O-ring
25	O6025	Spring
26	O6026	Balancing Cap
27	O6027	Lever
28	O6028	O-ring
29	O6029	Adjustment Knob
32	O6032	Purge Button Holder
33	O6033	Purge Button


O50 EXPLODED VIEW



No.	Item No.	Description
1	O500	MAIN HOUSING
2	-	ZIP TIE
3	MP5BS	SILICONE MOUTHPIECE
4	O5004	EXHAUST VALVE
5	O5005	EXHAUST TEE
6	O5006	DIAPHRAGM
7	O5007	DIAPHRAGM WASHER
8	O5008	PURGE COVER
9	O5009	PURGE SPRING
10	O5010	PURGE BUTTON
11	O5011	VALVE SPRING
12	O5012	POPPET VALVE
13	O5013	LOW PRESSURE SEAT
14	O5014	O-RING
15	O5015	NUT

No.	Item No.	Description
16	O5016	O-RING
17	O5017	ORIFICE
18	O5018	NUT WITH NYLON INSERT
19	O5019	SPACER
20	O5020	LEVER
21	O5021	SPACER
22	O5022	INLET TUBE
23	O5023	O-RING
24	O5024	VENTURI VANE
25	O5025	LOCK RING
26	O5026	O-RING
27	O5027	SIDE PLUG
28	O5028	SS CLIP
29	O5029	O-RING
30	O5030	DEFLECTOR


PROEAR EXPLODED VIEW




No.	ITEM NO.	DESCRIPTION
1	6710	NUT
2	6709	SKIRT TAP
3	6707	COLLAR
4	6708	DUCK VALVE
5	6713	VALVE CASE
6	6714	TUBING / BS OR C
7	6712	CONNECTOR
8	6701	EAR CAP-R / BS OR C
9	6704	EAR CAP FRAME-R / CB OR BK
10	6705	EAR CAP F.COVER-R / CB OR BK OR C
11	6702	EAR CAP-L / BS OR C
12	6703	EAR CAP FRAME-L / CB OR BK
13	6706	EAR CAP F.COVER-L / CB OR BK OR C
14	SF	MASK STRAP RETAINER / BK OR C
15	MS80	SILICONE MASK STRAP
16	MS16	NEOPRENE MASK STRAP

SERVICE KITS EXPLODED VIEW

R-200 SERVICE KIT (MR200-100)




R200-DIN SERVICE KIT (MR200-101)




SERVICE KITS EXPLODED VIEW

O-300 SERVICE KIT (O30040)




SERVICE KITS EXPLODED VIEW


R-7 SERVICE KIT (MR7-100)




R-8 SERVICE KIT (MR8-100)



R-8/5-N SERVICE KIT (MR8-106)




R8/N-DIN/5 SERVICE KIT (MR8-107)




SERVICE KITS EXPLODED VIEW


060 SERVICE KIT (06030)



050 SERVICE KIT (05031)



PROEAR SERVICE KIT (ME-KITS)




DOLPHIN TECH